

Healthcare Appointments as Commitment Devices

Laura Derksen, Jason T. Kerwin,
Natalia Ordaz Reynoso, and Olivier Sterck*

May 15, 2023

Abstract

We show that ordinary appointments can act as effective substitutes for hard commitment devices and increase healthcare demand, particularly among those with self-control problems. We show this using an experiment that randomly offered HIV testing appointments and hard commitment devices to high-risk men in Malawi. Appointments more than double testing rates, with effects concentrated among those who demand commitment. In contrast, most men who take up hard commitments lose their investments. Appointments overcome commitment problems without the potential drawback of commitment failure, and have the potential to increase demand for healthcare in the developing world.

Keywords: Appointments, Commitment Devices, Self-Control, Health, HIV

JEL Classification: D81, I15, O12

*Derksen: Department of Management, University of Toronto (laura.derksen@rotman.utoronto.ca); Kerwin: Department of Applied Economics, University of Minnesota, and J-PAL (jkerwin@umn.edu); Ordaz Reynoso: AXA Research Lab on Gender Equality, Dondena Research Centre, Bocconi University (natalia.ordaz@unibocconi.it); Sterck: Department of International Development, University of Oxford (olivier.sterck@geh.ox.ac.uk). We thank Susan Watkins for her extensive guidance and mentorship on this project. We are grateful for insightful comments from Manuela Angelucci, Liang Bai, Leah Bevis, Lasse Brune, Gharad Bryan, Eric Chyn, Jon de Quidt, Stefano DellaVigna, Kate Dovel, Jessica Gallant, Erick Gong, Anett John, Maggie McConnell, Rachael Meager, Mauricio Romero, and Simone Schaner, and from seminar participants at PacDev, the Canadian Economics Association, BU, the KDI DIME conference, the EGROW Foundation, Maryland, and Rutgers, and from MPC, IAS, and the Applied Economics department at the University of Minnesota. This project would not have been possible without the hard work of our fantastic fieldwork supervisor, Abdul Chilungo, the efforts of our wonderful team of survey interviewers and HDAs, and the participation of the men who generously shared their time with us to take part in the study. We thank Dina O'Brien, Ethan Sansom, Tim White, and Heather Wong for their excellent research assistance. Connaught, GATE and SRCHSS at the University of Toronto and CIFAP at the University of Minnesota provided grant funding for this research. Kerwin gratefully acknowledges support from the Minnesota Population Center (P2C HD041023) funded through a grant from the Eunice Kennedy Shriver National Institute for Child Health and Human Development (NICHD), and from a UMN Institute for Advanced Study Residential Fellowship. This study was reviewed and approved by IRBs in Malawi (National Health Sciences Research Committee, protocol # 19/03/2268) and at the University of Minnesota (protocol # STUDY00005587) and the University of Toronto (protocol # 00037491), and is registered with the AEA RCT Registry under registration number AEARCTR-0004295. All errors and omissions are our own.

Health behaviors are plagued by commitment problems. The decision to seek healthcare, exercise more, or to eat a healthier diet requires people to incur short-term costs for long-term gains and to follow through with plans. This makes health behaviors prone to behavioral biases (Kessler and Zhang 2015), particularly self-control problems (DellaVigna and Malmendier 2006). One potential solution to these challenges is to use “hard” commitment devices with financial penalties (Laibson 1997; Gul and Pesendorfer 2001; Halpern, Asch, and Volpp 2012; Laibson 2015) or strict enforcement (see for example Dupas and Robinson 2013, Kim et al. 2019, and Sadoff, Samek, and Sprenger 2020). Hard commitment devices can encourage healthier behaviors in settings ranging from smoking (Giné, Karlan, and Zinman 2010) and drinking (Schilbach 2019) to gym attendance (Royer, Stehr, and Sydnor 2015).¹ They have also been used at scale in health policy, for example, to encourage adherence to tuberculosis treatment in Bangladesh (Islam et al. 2002). However, hard commitment devices have an important drawback: many people who demand hard commitment devices do not follow through (John 2020). In the average study of financial commitments tied to health behaviors, 65 percent of people lose the money they staked on their own behavior (Table 1). Indeed, there is evidence that these commitment devices can actually be welfare-diminishing (Bai et al. 2020).

A soft commitment, in the form of a scheduled healthcare appointment, offers an alternative to a hard commitment device. Booking an appointment is a commitment to come in for healthcare, with no enforcement or financial penalty. By combining many different nudges in a single, natural intervention, appointments address several behavioural barriers to healthcare simultaneously, possibly with fewer downsides than hard commitments because there is no financial penalty for defaulting. Yet, while health appointments appear to have large impacts on healthcare demand in some settings (Salvadori et al. 2020), they have zero impact in others (Chang et al. 2021).

In this paper we show that healthcare appointments can act as a highly effective substitute for hard commitment devices, with particularly large effects for those who *demand*

¹ Commitment devices have also been extensively studied in non-health settings. For example, they can be an effective way to promote savings (Ashraf, Karlan, and Yin 2006b, Burke, Luoto, and Perez-Arce 2018), and increase work effort (Kaur, Kremer, and Mullainathan 2015). For a review of the literature on commitment devices, see Bryan, Karlan, and Nelson (2010).

commitment due to self-control problems. We compare the effectiveness of healthcare appointments and hard commitment devices, and examine heterogeneity in their effectiveness by the demand for commitment, using a randomized field experiment. Our findings offer a potential explanation for why appointments work in some settings but not others. Scheduling an appointment is an effective way for a person with self-control problems to voluntarily commit to care. For people who actively avoid care, stronger incentives or policies may be required.

Increasing HIV testing is a major public health challenge in sub-Saharan Africa, as delays in treatment lead to unnecessary deaths and new infections.² Our data comes from a randomized experiment among 1,232 high-risk men recruited at urban bars in Zomba, Malawi. Participants were randomized to four study arms: a control group, appointments, hard commitment devices, or appointments plus hard commitment devices. Men in either appointments arm could commit to an HIV test at a clinic, date, and time of their choosing over the next two months. They received a phone call reminder two days before their appointment with the option to reschedule. The hard commitment device allowed men to stake USD \$1.38 (approximately 50 percent of the median daily income per capita in our sample), taken out of their study compensation, on showing up at any testing site in Zomba City (where tests are available for free). We elicited incentivized preferences for this device for all study participants, implementing the choice for men who were assigned to one of the hard commitment arms.

Offering men appointments sharply increases the HIV testing rate, raising it by 16 percentage points.³ This is a 140 percent increase relative to the control-group testing rate of 11 percent. Using the randomized assignment as an instrument, we find that the appointments increase HIV testing among the two-thirds of men who sign up for them by 23 percentage points. We also find evidence suggesting that appointments increase the detection of actual HIV cases, and help guide HIV-positive men into treatment for the disease.

In contrast, hard commitment devices are less effective in our setting, and backfire for a

² Approximately 680,000 people died of AIDS in 2020, and 1.5 million became newly infected with HIV (UNAIDS 2020). Antiretroviral therapy prevents both death and HIV transmission, but many people living with HIV remain undiagnosed.

³ All our inferences are robust to variations in the choice of controls and outcome variable, and to the Benjamini, Krieger, and Yekutieli (2006) false discovery rate correction for multiple testing.

substantial fraction of the men who sign up for them. About 50 percent of study participants demand a hard commitment, suggesting that they know that self-control issues are a barrier to HIV testing. But the effect on HIV testing is just 8 percentage points, half that of the appointments, and we can reject that the two effects are equal at the 0.05 level. Moreover, most of the men who signed up for a hard commitment device were made worse off: 64 percent of those who received only a commitment device lost the money they staked on getting tested. This failure of commitment parallels findings by [John \(2020\)](#), [Bai et al. \(2020\)](#), and [Buehren et al. \(2020\)](#), and is consistent with the average rate of commitment failure in health studies ([Table 1](#)).

We find that health appointments substitute nearly perfectly for hard commitment devices, and are particularly effective for people with known self-control problems. Combining both appointments and hard commitment devices leads to an 18 percentage-point increase in HIV testing. This effect is only slightly higher than, and not significantly different from, the impact of appointments alone, suggesting that for our subjects appointments are a superior substitute for hard commitment devices. Looking at the study arm that received only appointments, the appointments are far more effective for men who wanted a hard commitment device but did not receive one—and for the subset of men who want a hard commitment device, getting only an appointment is almost as good as getting an appointment plus the commitment device.

Appointments are also a more cost-effective way of increasing HIV testing. We find that the cost per additional HIV test induced by an appointment was USD \$2.69, as compared with USD \$3.01 for a hard commitment device.⁴ Appointments thus compare favorably with cash payments, which cost \$11 per additional person who learns their test result ([Thornton 2008](#)). The cost-effectiveness of appointments for promoting HIV testing is particularly policy relevant given the importance of early diagnosis and treatment in preventing both AIDS deaths ([INSIGHT START Study Group 2015](#)) and the spread of HIV ([Cohen et al. 2011](#)). That these effects are for men is important: men in Malawi are less likely than women to seek treatment for HIV and more likely to die of AIDS ([Dovel et al. 2015](#)).

⁴This calculation considers only the incremental cost of each intervention. We also consider alternative choices about how to compute costs.

Standard healthcare appointments address several different behavioral biases simultaneously. Appointments are soft commitments that create social pressure to follow through, as men who fail to show up for their appointments waste the time of clinic staff. Indeed, we observe stronger effects among men who demand commitment. Appointments can also make a person feel expected, or welcomed, as in [Nyondo et al. \(2015\)](#). These social elements may explain why appointments appear to be more effective than making a private plan (e.g. [Macis et al. 2021](#)). Appointments also come with reminders, which help overcome limited memory issues ([Ericson 2011](#); [Haushofer 2015](#); [Ericson 2017](#)). Reminders are a well-established public health intervention, with proven benefits for many health behaviors ([Vervloet et al. 2012](#); [Gurolo-Urganci et al. 2013](#); [Altmann and Traxler 2014](#); [Jacobson Vann et al. 2018](#); [Banerjee et al. 2021](#)). Indeed, the time pattern of HIV testing suggests reminders were important. Men in the appointments arm tested later in the study period, with many coming in even later than their appointment date. Yet, reminders are not the only mechanism at play. In our study, conditional on receiving a reminder, 67 percent of participants who get tested do so on their exact appointment date. If the impact of appointments were due to reminders alone, we would expect visits to occur throughout the days or weeks after the reminder.⁵ The spike in testing on the appointment date could reflect the desire to honor the soft commitment, for personal or social reasons, or to avoid lineups. This last possibility is unlikely in our study context: supplementary data indicates that the HIV testing clinics in our sample (and across Malawi) operate below capacity and there is typically no wait. Indeed, we might expect larger effect sizes in a setting where wait times are long.

Our findings provide insight on why appointments work in some contexts but not others: appointments appear to work best for those who would like to seek healthcare, but have problems following through. Appointments improve efficiency in clinics ([Steenland et al. 2019](#)), and have also been shown to increase HIV testing rates in a lower-prevalence setting ([Salvadori et al. 2020](#)). By focusing on high-risk men in a high-prevalence region, we show that appointments can be effective even when stakes are high. Moreover, by directly comparing appointments to hard commitment devices, and capturing each participant’s demand for

⁵This is consistent with [Salvadori et al. \(2020\)](#), who find that reminders explain only a third of the increase in HIV testing induced by appointments.

commitment, we are able to clarify *for whom* appointments are likely to make a difference. Scheduling an appointment is voluntary, and acts as a substitute for a harder commitment. Appointments appear to be effective specifically among those who deliberately demand such a commitment. We therefore expect to see large effects in settings where there is an underlying desire for care, but follow-through is limited by self-control problems. We would not expect to see large effects among those who make a conscious choice to avoid care. Indeed, [Chang et al. \(2021\)](#) find that appointments do not increase COVID vaccinations among a highly hesitant population.

Our findings also build on the literature on using commitment devices to promote health behaviors, by showing that appointments can overcome self-control problems more effectively than hard commitments, with fewer drawbacks. We compare the two types of commitments directly, using random assignment of participants from a single sample, in a setting where healthcare is both critical and subject to self-control problems. Other studies of health commitment devices evaluate a single intervention, or compare different types of hard commitments; [Table 1](#) summarizes the existing literature on hard commitment devices to encourage health behaviors.⁶ The effects we estimate for hard commitment devices are within the range of those found in previous studies. In contrast, the effects we estimate for appointments compare favorably to hard commitments in other health contexts. Their take-up rate ranks in the top quintile, and unlike hard commitments, appointments do not cause people to lose money due to a failure to follow through. The treatment effect is four times as large as that of the average hard commitment device, and 54 percent larger than the most successful intervention from the existing literature (the combination of a personalized hard commitment and a discount from [Bai et al. 2020](#)).

More broadly, our paper relates to an extensive literature in behavioral finance comparing savings accounts with various levels of commitment and flexibility ([Amador, Werning, and Angeletos 2006](#); [Karlan and Linden 2016](#); [Beshears et al. 2020](#); [John 2020](#)). Many effective soft commitment devices involve social contracts or opportunities for signalling ([Ashraf, Karlan, and Yin 2006a](#); [Kast, Meier, and Pomeranz 2018](#); [Dupas and Robinson 2013](#)). In the context of a health savings account, [Dupas and Robinson \(2013\)](#) show that while earmarking

⁶ [Schilbach \(2019\)](#) presents a similar table focused only on take-up, including non-health studies as well.

funds is largely ineffective, applying social pressure through savings groups is highly effective. This is consistent with the fact that healthcare appointments appear to be more effective than simply prompting health seekers to make a plan. The effectiveness of a soft commitment might also depend on how difficult the goal is to achieve. Social pressure from deposit collectors appears to have a significant, but moderate effect on savings (Ashraf, Karlan, and Yin 2006a). Visiting a clinic is likely easier than saving money; this might explain why healthcare appointments produce larger effects.⁷

This paper also contributes to the literature on behavioral nudges for health. Our study evaluates appointments as they are typically implemented, including all of their behavioral features and reminders, as well as any perceived reduction in wait time. Indeed, these features may be more effective as a bundle than as a sum of parts. The separate impacts of many of these behavioral nudges have been studied extensively. These include studies that involve nudges to increase appointment attendance, including defaults and reminders (Chapman et al. 2016; Milkman et al. 2021), as well as interventions that invite participants to make a plan, or a private commitment, without offering a formal appointment (Milkman et al. 2011; Kavanagh et al. 2020; John and Orkin 2021). Planning prompts appear to affect behavior in some health contexts, but in the absence of any social commitment or reminder their measured effects are often small. Reminders alone, without a planned appointment also appear to be less effective (Salvadori et al. 2020).

Our results suggest that wider use of medical appointments in developing countries could reduce healthcare under-utilization, which is common in such settings (Glasziou et al. 2017). The use of appointments in healthcare appears to be quite rare in Malawi: qualitative data from clinics in Zomba shows that only a few highly specialized services use appointments at all; those that do tend to only specify a day rather than a specific time, and do not provide reminders. Indeed, introducing and integrating appointments into an existing healthcare system is complex and requires upfront investment. Some of these investments are already in place: mobile phones and smartphones are quite widespread in developing countries, making healthcare appointment scheduling and reminders technologically feasible. Appointments

⁷ Saving money can be very difficult, but once it is saved, a soft commitment can promote expenditure for educational purposes (Karlan and Linden 2016).

are a promising tool for addressing behavioral barriers to healthcare around the world.

1 Experiment and Data

We conducted a randomized controlled trial to assess and compare the impact of a soft commitment to seek an HIV test, in the form of a scheduled appointment, to a hard commitment device. The experiment took place in the city of Zomba in southern Malawi, where the prevalence of HIV is approximately 13 percent (DHS 2016). In Malawi, HIV testing, as well as most other services, are offered primarily on a walk-in basis, as opposed to by appointment. This fact is validated by supplemental data we collected by interviewing clinic staff (Appendix A.1 and Appendix A.2). HIV testing services are provided for free, and ART is provided for free to anyone who tests positive. There are 11 clinics that offer HIV testing in the city of Zomba. The study lasted for 3 months, from June 21st to September 30th of 2019.

Our sample consists of men from Zomba who are at high risk of HIV infection. We focus on men because they are less likely than women to be tested and treated for HIV, and more likely to die of AIDS (Dovel et al. 2015). One reason women in Malawi are more likely to be in HIV care is because they receive routine tests and treatment initiation as a part of antenatal care (National Statistical Office/Malawi and ICF 2017). HIV testing is supposed to be a voluntary part of antenatal care visits, but is perceived as compulsory (Angotti, Dionne, and Gaydosch 2011).

Despite the fact that most Malawian men report a fairly recent clinic visit, more than half have not been tested for HIV in the past year (Dovel et al. 2020a). To construct a sample of high-risk men, we recruited participants at bars and nightclubs in Zomba. We selected these locations because they are commonly used by sex workers to find clients. We screened potential participants for mobile phone ownership, as mobile phones were essential to our implementation strategy. Only one potential participant was screened out for this reason; mobile phone ownership is very common in this population.⁸ We also screened out men who

⁸ According to the 2015-16 DHS, 82.97 percent of urban men in southern Malawi owned a mobile phone; this fraction is probably even higher among men who frequent bars and engage in transactional sex.

were already diagnosed and on ART treatment (183 exclusions), as well as men who appeared to be intoxicated (1 exclusion), who knew the interviewers personally (1 exclusion), who did not live in the city of Zomba (1 exclusion), or who were under 18 years old (0 exclusion). These exclusion criteria were applied prior to the baseline survey taking place; we have no data for the men who were excluded for this reason.

Men who agreed to take part in the study and satisfied the screening criteria completed a baseline survey. The survey was administered by trained enumerators, and took place near where the participant was recruited in an area that afforded privacy. Every participant was offered a MK2,000 (approximately USD \$2.76 at market exchange rates) gift of mobile phone credit at the end of the survey, and a MK500 mobile phone credit voucher that they could redeem by visiting any HIV testing clinic in Zomba within the three month study period. To redeem the voucher, the participant had to show the testing staff a text message on their mobile phone that contained a unique identifier code. This enables us to accurately link HIV tests to study participants, and capture all HIV tests that took place in the study area. The voucher also helped to defray time or transportation costs of going to the clinic, and might have mitigated the stigma associated with HIV testing ([Angelucci and Bennett 2021](#); [Derksen, Muula, and van Oosterhout 2022](#)). A financial reward for getting tested gives men a different “excuse” to go to the clinic ([Thornton 2008](#); [Ngatia 2016](#)).

The list of participating clinics included all 11 HIV testing clinics within and around the city of Zomba, and this list was shared with all participants. The men in the study were told that the vouchers had a two-month deadline for use, but this was not emphasized in the recruitment script. It also was not strictly enforced: HDAs were instructed to accept any vouchers presented to them while the study was ongoing, and had no way to check the date validity. We did ensure that the clinics continued to be staffed and accept men for testing for two months after the last participant was recruited into the study. Participants did not have to agree to an HIV test to redeem the MK500 voucher; both voucher redemption and actual HIV testing were recorded. Our main outcome variable is HIV testing, rather than simply voucher redemption; we show that our main results are robust to using any voucher redemption in Appendix [Table C10](#). HIV testing is free in Malawi, and was free for our study participants.

We used a factorial design that assigned men to one of four study arms: (1) a control group, (2) a group that was offered hard commitment devices only, (3) a group that was offered appointments only, and (4) a group that was offered both hard commitment devices and appointments. Randomization was done using pre-randomized lists of intervention assignments that were loaded onto the tablets used for the baseline survey.⁹

Both interventions were offered to participants at the end of the baseline survey. Before offering either intervention, we elicited demand for the hard commitment device from all participants. For men who were assigned to the combined treatment, we offered the hard commitment device first, followed by the appointment. [Figure 1](#) depicts the implementation process in more detail.

The hard commitment device allowed participants to stake half (MK1,000) of their study compensation on visiting an HIV testing clinic. That is, rather than receiving MK2,000 immediately and MK500 upon visiting the clinic, they could choose to receive MK1,000 immediately and MK1,500 at the clinic. We deducted the price of the commitment device from the respondent gift rather than accepting cash payments in order to reduce the effects of liquidity constraints. Demand for hard commitments would likely be lower if they had to be paid for out of pocket. It was made clear that the commitment device was voluntary.

Before offering the commitment device, we elicited incentivized demand for the commitment device from each participant. All participants, including those not randomized to the hard commitment arm, were given an explanation of the purpose of the hard commitment device and how it worked. The device was framed as a way of helping people overcome self-control problems, and described as a voluntary form of collateral people could use to commit to an HIV test. We explained this with reference to *chikole* (Chichewa for “collateral”), which is commonly used for loans among our study population. For the full script that we used to explain the commitment devices, see [Appendix E](#).

Participants were then asked if they were interested in receiving such a commitment device, and were told that their choice would only be implemented with 50 percent probabil-

⁹ The random assignments were linked to respondents via sequential ID numbers for each survey interviewer and day. For example, interviewer 1’s first respondent on day 1 was ID # 010101, their second respondent was 010102, etc.; each of these IDs had a pre-specified random study arm assignment linked to it.

ity, and that they would otherwise receive MK2,000 immediately regardless of their choice. After recording demand for the commitment device, we revealed the result of the random assignment. Participants who were randomized into one of the commitment device arms and who had requested the commitment device received MK1,000, as well as a MK1,500 voucher to be redeemed at any clinic. Collecting this voucher was not conditioned on agreeing to an actual HIV test; men simply had to appear at the clinic. Everyone else received MK2,000 immediately, as well as the standard MK500 clinic voucher (see [Figure 2](#)).

After receiving the vouchers, participants who were randomized into one of the two appointments arms were given the opportunity to schedule an appointment at any of the 11 study clinics during regular clinic hours.¹⁰ Participants could choose the clinic, as well as the date and time of the appointment, starting from the day after their baseline survey and ending two and a half months after the start of the study. They could also decline the appointment. Those who chose to schedule an appointment received a phone call from testing staff two days before their scheduled appointment, reminding them of the time and place.¹¹ The reminder call also allowed participants to reschedule their appointments if they wished. Note that participants in the appointments arms still received MK500 clinic vouchers which could be redeemed at any clinic and at any time; they did not need to attend their appointment to redeem this voucher, and there was no financial penalty for missing the appointment.

1.1 Data

Our study uses four sources of data: a baseline survey, administrative data on HIV testing collected in all clinics offering HIV testing within and around the city of Zomba, records of appointment reminder calls, and qualitative interviews with clinic staff.

After recruiting participants, our team of interviewers conducted a baseline survey, which included questions on demographic characteristics (gender, ethnicity, age, place of birth, edu-

¹⁰ We did not mention the possibility of appointments to other participants, to avoid inducing John Henry effects ([Saretsky 1972](#)).

¹¹ During these calls, for privacy purposes, HIV testing was not explicitly mentioned; the calls mentioned only the time and place of the appointment. To further maintain privacy, and because we did not collect participants' names, the calls did not attempt to verify that the person who answered was the original participant.

ational achievement, marital status), socio-economic characteristics (employment, income, assets, expenditures), sexual behaviors (number of partners, risk, perceptions), past HIV tests, and intentions to get tested for HIV in the future. The baseline data was used for three purposes: (1) as a source of control variables to increase statistical power, (2) to explore mechanisms via heterogeneous treatment effect analyses, and (3) to prevent impostors from claiming the vouchers on behalf of our participants, and to remove those who did from the data. Using the baseline survey, we exclude from our study sample all respondents who listed a preferred HIV testing clinic outside of the study area (24 exclusions). This exclusion was specified in our pre-analysis plan, and was done to ensure that we observe all HIV tests that take place post-intervention.

To collect HIV testing data, we collaborated with the 11 clinics that provide HIV testing services within and around the city of Zomba. We hired qualified HIV Diagnostic Assistants (HDAs) and integrated them into each clinic.¹² This was done to ensure that our participants would not face wait times for their appointments, as well as to avoid disruptions to the clinic’s usual operations due to our study. In any case, demand for HIV testing is low at all clinics in Zomba, and at the time of the study HIV test seekers did not typically have to wait. See [Appendix A.3](#) for information on wait times from supplementary interviews we conducted with clinic staff.

To ensure participants’ privacy, and to make them more comfortable with revealing personal information about their sexual behavior and HIV testing decisions, we did not collect any names as part of the study. Instead, we verified participants’ identities at the time of voucher redemption by requiring them to show testing staff the text messages they received on their mobile phones during the baseline survey, which included unique voucher codes. These voucher codes were tied to the answers to specific security questions we asked during the baseline survey.¹³

¹² In some cases we placed new HDAs in the clinic, and in others we directly hired existing clinic staff to work for our team for the duration of the project.

¹³ We used three questions: the name of the participant’s primary school, their year of birth, and their mother’s district of birth. To reduce the likelihood of intentional impersonation, these security questions were inconspicuous to participants, and we did not specify how participants’ identities would be verified at the clinic. The HDAs verified the answers to these security questions at the time of voucher redemption. Just ten of the participants who got an HIV test gave more than one incorrect answer to our security questions, which was our pre-specified criterion for labeling a test-taker as an impostor. We code the outcome variables

Our project’s HDAs were in charge of collecting vouchers, recording data, and performing HIV tests for study participants. In line with local protocols, those who tested negative were encouraged to seek a second confirmatory test after 3 months, and the HDAs worked with the clinics to integrate newly-diagnosed individuals into ART initiation and care. The HDAs recorded data in handwritten notebooks. This included participants’ voucher codes and phone numbers, in order to link them to our baseline data, as well as whether they agreed to be tested for HIV. HIV test results and ART initiation were recorded only by study arm, and are not linkable to individual participants. The information in the notebooks was digitized only at the end of the experiment.

Our sample consists of 1,232 men. Of those, 301 participants were assigned to the control group, 329 were offered only appointments, 295 were offered only hard commitment devices, and 307 were offered both appointments and hard commitment devices. Descriptive statistics and balance tests are provided in Appendix [Table C3](#). The average age of the men in our sample is just under 32 years old. Roughly 98 percent of our sample can read and write, and the average participant had finished just under 11 years of schooling. In our sample, 66 percent of participants are married and 43 percent report having a girlfriend (26 percent of married men also report having a girlfriend). The most common ethnic group is Lomwe (30 percent) followed by Yao (21 percent) and then Chewa and Ngoni (13 percent each). Over 90 percent of participants report having been tested for HIV at least once, and the average man in the sample reports having been tested for HIV five times. 87 percent of the sample report being willing to get an HIV on the spot and 94 percent are willing to get tested in the future. However, 73 percent did not get tested in the three months preceding the survey.

The control and treatment groups are well-balanced on baseline variables. Omnibus F -tests of the joint significance from regressions of the treatment indicators on all the baseline covariates yield p -values that are above usual significance thresholds. As an alternative to significance tests for balance, the table also shows pairwise normalized differences across study arms ([Imbens and Rubin 2015](#), p. 310). These are small: out of 68 differences, 66 are below 0.1 and all are below 0.15, which indicates good balance.

for these impostors as zeroes rather than ones; our results are also robust to coding their outcomes as ones (see Appendix [Table C11](#)).

To better understand the study context, especially the use of health appointments and healthcare wait times in Malawi, we also conducted supplementary interviews with staff at clinics in the country. These interviews included staff at all clinics in the study area, as well as four other large clinics in Zomba District, and seven hospitals from different regions of Malawi. We interviewed both clinic coordinators and HDAs.¹⁴

We also conducted a follow-up survey in 2020, to study longer-run treatment effects and analyze beliefs and behaviors related to COVID-19 (Fitzpatrick et al. 2021). For this survey, we attempted to contact all 1,232 men from our original sample by phone. However, our effective attrition rate (after removing impostors) was 81 percent because people in Malawi frequently change SIM cards. We are therefore unable to draw meaningful conclusions from this data.

2 Empirical Strategy

Our empirical strategy is based on a pre-analysis plan that we filed prior to receiving the outcome data (Derksen et al. 2019).¹⁵ We discuss several minor deviations from the pre-analysis plan below in Section 2.5; these deviations increase the rigor of the analysis and do not alter our substantive conclusions.

Our primary outcome of interest is the decision to get an HIV test. This is captured by an indicator T_i that is equal to one for men who redeemed their voucher at one of the study clinics and followed through with an HIV test, and zero otherwise.

2.1 Intention-to-Treat Estimates

To estimate the intention-to-treat effects of the two treatments on HIV testing, we use linear regressions of the following form:

$$T_i = \alpha + \beta_1 A_i + \beta_2 HC_i + \beta_3 A_i \times HC_i + X_i' \gamma + \varepsilon_i \quad (1)$$

¹⁴ This supplementary data collection was approved separately from the main study, by IRBs at the Malawi College of Medicine Research Ethics Committee (2572/2019) and at the University of Toronto (36913/2020).

¹⁵ The analysis plan can be accessed at <https://www.socialscienceregistry.org/versions/57507/docs/version/document>.

where A_i indicates a participant was assigned to the appointments treatment and HC_i indicates assignment to the hard commitment treatment. $A_i \times HC_i$ is the interaction between the two treatments.¹⁶ X_i is a list of baseline characteristics, which are included in the regression to increase precision.

We consider three different sets of control variables X_i . Our first specification includes no controls at all. In the second specification, we control for the variables and fixed effects that we specified in our pre-analysis plan. We include 10 variables that were significant predictors of past testing behavior as recorded in the baseline survey (these variables are described in [Table C1](#)). We also include fixed effects for the date of the baseline survey, the baseline survey interviewer, and the participant’s preferred testing clinic as reported at baseline.¹⁷ We focus on the results from this second specification, and show that our results are robust to varying the controls we use. The third specification includes all the pre-specified fixed effects, but selects other controls using the double LASSO method of [Chernozhukov et al. \(2017\)](#). Specifically, we use the `pdslasso` command in Stata ([Ahrens, Hansen, and Schaffer 2019](#)), and ask it to select variables from [Table C1](#) and [Table C2](#).¹⁸

The random assignment of participants to study arms ensures that $\hat{\beta}_1$ and $\hat{\beta}_2$ are consistent estimates of the intention-to-treat effects of the two treatments (when offered on their own), provided that the stable unit treatment value assumption holds—that is, that there are no spillovers between the men in the study. This is a plausible assumption in our case: the men were interviewed individually and privately, and there was no direct way for them

¹⁶ In [Appendix Table C4](#) and [Appendix D](#), we also show the “short” specification that omits this interaction term. The treatment effect estimates using the short specification are biased downward because this specification ignores the important negative interaction between the two treatments ([Muralidharan, Romero, and Wüthrich 2019](#)).

¹⁷ Results are not statistically different when we also include bar fixed effects (not pre-specified in our pre-analysis plan).

¹⁸ In addition to linear terms for each variable, we follow [Knaus, Lechner, and Strittmatter \(2020\)](#) in feeding the algorithm fourth-degree polynomials and logarithmic terms in each variable, along with all first-order interactions between variables. For variables with zeros or negative values, instead of using the logarithm, we use both the inverse hyperbolic sine transformation ([Burbidge, Magee, and Robb 1988](#)) and the [Ravallion \(2017\)](#) concave log-like transformation. Prior to variable selection, we partial out fixed effects for the date of the baseline survey, the baseline survey interviewer, and the participant’s preferred testing clinic as reported at baseline. The exact variables chosen by the double LASSO vary by specification but, for our main treatment effects analysis ([Table 2](#), Column 3), it selects three variables: 1) the Ravallion transformation of the index of willingness to get an HIV test, 2) the interaction between ever having been tested and demand for the hard commitment, and 3) the interaction between the number of sexual partners in the past 12 months and the demand for the hard commitment.

to share the interventions with one another nor any incentive for them to do so.

2.2 Treatment-on-the-Treated Effects

Take-up of the two treatments was imperfect: not everyone offered an appointment took one, and not everyone assigned to the hard commitment device arm wanted one. We thus estimate the treatment-on-the-treated effect of each intervention—the average effect of the intervention on the people who actually used it. For the appointments intervention, we do this by defining an indicator A_i^{TOT} , which is equal to one if the participant signed up for an appointment and zero otherwise. We estimate equation (1) via 2SLS, using A_i as an instrument for A_i^{TOT} .

For the hard commitment, we know who the compliers are because we elicited demand for hard commitment devices for all the men in the study. We can therefore define indicators D_i for men who demand the hard commitment and $(1 - D_i)$ for men who do not, and estimate the treatment-on-the-treated effect of the hard commitment using the following equation:

$$\begin{aligned}
 T_i = & D_i \times (\beta_0 + \beta_1 A_i + \beta_2 HC_i + \beta_3 A_i \times HC_i) \\
 & + (1 - D_i) \times (\beta_4 + \beta_5 A_i) + X_i' \gamma + \varepsilon_i
 \end{aligned} \tag{2}$$

The first part of Equation (2) examines the effects of the two treatments on men who demand the hard commitment device. For these men, β_0 measures the average testing rate in the control group, β_1 is the intention-to-treat effect of the appointments-only treatment, β_2 is the treatment-on-the-treated effect of the hard commitment treatment (i.e., the effect of the hard commitment device on men demanding it), and β_3 captures the interaction effect of the two treatments.

The second part of Equation (2) focuses on men who do not demand the hard commitment device. For these men, the variable HC_i is irrelevant as none of them received the hard commitment device (and they were not even told whether they would have been assigned to the hard commitment arm or not). For this group of men, the control-group testing rate is given by β_4 and the intention-to-treat effect of the appointments treatment is given by β_5 .

2.3 Exploratory Analyses

We conduct three exploratory analyses on top of our main analysis. First, we conduct conventional analyses of treatment effect heterogeneity by interacting the two treatment indicators with baseline covariates. We estimate the following specification:

$$\begin{aligned} T_i = & \alpha + \beta_1 A_i + \beta_2 HC_i + \beta_3 A \times HC_i \\ & + \beta_4 A_i \times W_i + \beta_5 HC_i \times W_i \\ & + \beta_6 A_i \times HC_i \times W_i + \beta_7 W_i + X_i' \gamma + \varepsilon_i \end{aligned} \tag{3}$$

where W_i is the baseline covariate of interest. In addition to estimating these interactions separately, we also conduct a pooled analysis in which we include all of the variables simultaneously, while also controlling for main effects and interactions with the treatments for every variable in [Table C1](#). We de-mean all the variables W_i prior to constructing the interaction terms, so the main effects of the treatments can still be interpreted as average treatment effects ([Imbens and Rubin 2015](#), p. 247).

Second, we investigate heterogeneous treatment effects by propensity to seek an HIV test, using the repeat split-sample (RSS) endogenous stratification procedure of [Abadie, Chingos, and West \(2018\)](#). The approach relies on randomly splitting the sample in half, and using half of the data to predict the outcome variable (the first stage) and the other half to use the predicted outcomes for treatment effect heterogeneity analysis (the second stage).¹⁹

Finally, we study the impacts of the treatments on indicators for testing positive for HIV and for initiating antiretroviral treatment, since getting HIV-positive people into treatment is a major goal of current testing campaigns. These outcomes are anonymized and linked

¹⁹ We use the `estrat` Stata command ([Ferwerda 2014](#)). We conduct 100 random splits of our sample and do the two stages for each; our point estimates and standard errors come from the mean and standard deviation of the estimates from stage 2 across the 100 sample splits. In the first stage of the procedure, we use the two different sets of control variables from [Equation 1](#) as predictors, not including the fixed effects. For the double LASSO controls, to avoid different controls being selected for each sample split, we use the predictors selected for estimating [Equation 1](#). In the second stage, we estimate treatment effects for terciles of the predicted outcome calculated in the first stage, using the fixed effects as controls. We run the procedure just on the control group and the appointments-only arm for the analysis of the appointments treatment, and just on the control group and the hard commitment-only arm for the analysis of the hard commitment treatment.

only to the study arm the participant was in, so we cannot include covariates in regressions with these outcomes. Note that our study was not powered to study these outcomes, because being diagnosed with HIV is a rare outcome (in our study’s control group, just 11 percent of men got a test and only 6 percent of HIV tests were positive, so less than 1 percent of the control group tested positive for HIV).

2.4 Inference

Our inference is based on conventional Eicker–Huber–White (EHW) heteroskedasticity-robust standard errors, with no adjustment for clustering, because our treatment was randomized at the individual level (Abadie et al. 2017). The uncertainty in our estimates comes from the randomization of the treatment, rather than sampling variation. However, the conventional sampling-based standard errors that we report will be conservative on average, i.e., larger than the correct standard errors that capture design-based uncertainty (Abadie et al. 2020). We also show that our main results are robust to randomization inference.

To address multiple testing concerns we compute sharpened q -values that control the false discovery rate (FDR) using the Benjamini, Krieger, and Yekutieli (2006) two-step procedure. We use Anderson (2008)’s approach and report the lowest value for which the Benjamini, Krieger, and Yekutieli approach rejects the null hypothesis, so our q -values are comparable to p -values.

We conduct our FDR corrections across all the p -values for treatment effects reported in the paper and appendix. This includes Tables 2 through 4 and Appendix Tables C4 through C11, as well as the tests associated with Figures 5 and 6. It does not include any of the hypothesis tests in the balance table (Appendix Table C3) or supplementary tests that are reported only in the text and not in tables or figures. The tables show significance stars based on p -values, and sharpened q -values in brackets. All discussions of statistical significance in the text are based on the q -values.

2.5 Deviations from the Pre-Analysis Plan

Our analyses deviate from the pre-analysis plan in several ways. First, while we did pre-specify a plan to examine the effect of the interaction term $A_i \times HC_i$ as a secondary analysis, our pre-specified analyses mainly did not include this interaction term. This “short” model has higher power when the interaction term does not matter, but leads to incorrect estimates when it does (Muralidharan, Romero, and Wüthrich 2019). Since our results show that the interaction between the two treatments is important, we focus on the fully-interacted specifications. However, none of our inferences or qualitative conclusions depend on this choice. We present the complete tables using the exact specifications from the pre-analysis plan in [Appendix D](#).

Second, we handle the control variables slightly differently than specified in the pre-analysis plan. Our preferred specification, with our pre-specified list of controls, matches the analysis plan exactly. For the double LASSO, the analysis plan called for the fixed effects to be included in the selection procedure; we instead partial them out in advance. The analysis plan also did not specify the construction of the higher-order and logged terms and interactions. In addition to the pre-specified and double LASSO controls, we also show a specification with no controls, which was not in the analysis plan.

Third, the analysis plan specified that we would conduct the FDR adjustments only when testing related hypotheses, and not across estimands, and that the exploratory analyses would not be included in the adjustments at all. We take a broader approach, conducting the FDR procedure across all p -values included in the paper (including in the appendices).

Fourth, we conduct additional exploratory analyses that were not listed in the analysis plan. In particular, our analysis of the timing of test dates in [Section 4](#) was not part of our analysis plan; rather, it is an exploration of a potential mechanism that we first conceived of after we had already seen the main results.

Note that the follow-up survey mentioned at the end of [Section 1.1](#) was not part of our pre-analysis plan. We also did not file a separate analysis plan for this data, intending to treat any analyses of the data as exploratory. As noted in that section, we do not use any of that data in this paper.

3 Results

Demand for both types of commitment devices is quite high in our setting. Among the men randomly offered an appointment, 65 percent signed up for one. We elicited demand for hard commitment for the entire sample: 51 percent of all the men in the study wanted a hard commitment device, including 49 percent of men assigned to one of the hard commitment study arms. The high take-up of the hard commitment device suggests that many of the men in the study were aware of their self-control issues when it comes to HIV testing, and believed the intervention could help them overcome these issues. Yet these rates of take-up may understate the true extent of self-control problems, if some men are too naive to recognize their need for a commitment device. Moreover, for many study participants this sophistication about self-control problems was only partial: just 41 percent of men who signed up for a hard commitment device actually followed through and visited a clinic. As a result, 59 percent of men who enrolled in the hard commitment—and 64 percent in the hard-commitment-only arm—simply lost their investment.²⁰ This parallels the results in [Bai et al. \(2020\)](#) and [John \(2020\)](#), who also find substantial failures to follow through on commitment devices—and thus find that people are made worse off by the offer of a hard commitment device. In contrast, none of the men in the appointments-only arm lost money, as no money was at stake.

Both treatments significantly increase HIV testing. [Table 2](#) shows the intention-to-treat effects of the two interventions on HIV testing. The bar chart in [Figure 3](#) illustrates the results, showing testing rates by study arm based on our preferred specification (Column 2 of [Table 2](#)). Appointments, offered on their own, cause a 16 percentage-point increase in HIV testing—a 141 percent increase relative to the control group mean. This effect is statistically significant at the 0.01 level. Appointments are much more effective than hard commitment devices at increasing HIV testing. Hard commitment devices, offered on their own, increase HIV testing by eight percentage points—about half of the effect of the

²⁰ Regression analyses (controlling for the pre-specified list of baseline covariates) suggest that there is a small negative correlation between the time of the baseline survey and the take up of hard commitment (p-value = 0.051), but no significant correlation with the demand for appointments. We find no evidence of significant heterogeneous treatment effects with respect to the time of the baseline survey (this part of the analysis was not pre-specified).

appointments treatment. This effect is also statistically significant at the 0.01 level. We can reject the equality of the appointment and hard commitment effects at the 0.05 level.

Appointments are strong substitutes for hard commitment devices, while hard commitment devices are imperfect substitutes for appointments. [Figure 3](#) shows that the combination of both types of commitments has roughly the same effect on HIV testing as the appointments-only treatment (q -value = 0.35). In contrast, the marginal effect of the appointments treatment on top of the hard commitment treatment is positive—an increase of nine percentage points—and statistically significant at the 0.05 level. The coefficient on the interaction term between the two treatments is large and negative, showing that appointments and hard commitments are substitutes. Its q -value is slightly above the conventional significance threshold of 0.1 in our preferred specification (Column 2 of [Table 2](#)). The interaction term is almost as large in magnitude as the main effect for the commitment device treatment, and we cannot reject that the sum of the two coefficients is equal to zero (q -value = 0.35). In other words, getting the commitment device on top of an appointment generates next to zero additional effect on testing rates. In contrast, getting an appointment on top of the commitment device has a marginal effect of 9 percentage points, which is statistically significant at the 0.05 level.

Indeed, for the subset of men who benefit from the hard commitment, a soft commitment, in the form of an appointment, is just as effective. To see this, consider a scenario in which a subset of men get tested if offered only a hard commitment device, but do not get tested if offered only an appointment. Then, we would expect these men to get tested when offered a hard commitment on top of an appointment. The fact that we do not observe an increase in the treatment effect suggests that either such a subset does not exist, or that there is a negative interaction effect—that is, adding a second intervention on top of the first actually decreases demand for HIV testing for some men. While we cannot rule out this sort of negative interaction effect *a priori*, this possibility seems fairly unlikely.

We estimate the treatment-on-the-treated effects of appointments in [Table 3](#). The average treatment effect of an appointment on men who actually signed up for one is a 24 percentage-point increase in HIV testing. The treatment-on-the-treated effect of the hard commitment

treatment is estimated in [Table 4](#).²¹ The results are also shown in [Figure 4](#). Recall from equation (2) that this specification does not include a constant, so the first and the fifth rows of [Table 4](#) represent absolute testing levels in the control arm. The effect of a hard commitment device on men who demand one is between 11 and 13 percentage points.

[Table 4](#) also shows that appointments work best for men who have self-control problems and therefore demand commitment devices. The table shows that the appointments treatment increases HIV testing by nearly 20 percentage points among the men who wanted a hard commitment but did *not* receive one. This is more than twice the effect of the appointments treatment on men who did not want a hard commitment—even though both groups received the exact same intervention (appointments alone, without hard commitment). We can reject the equality of the two effects at the 0.1 level. We conclude that appointments are more effective for men who have self-control issues that they are (at least partially) aware of.

Among men who wanted a hard commitment, appointments are again superior substitutes. For this subset of men, appointments are nearly twice as effective as hard commitment devices. The effect of the combined treatment (appointments plus hard commitment devices) on men who wanted a hard commitment device is around 23 percentage points. This is only slightly larger than the effect of the appointments-only treatment for men who wanted a hard commitment device, and we cannot reject the null of equal treatment effects (q -value ≈ 0.3). Indeed, men who wanted a hard commitment device are almost as well-served by just getting an appointment as they are if a hard commitment device is layered on top of an appointment—and much better off than if they received only a hard commitment device.

Another piece of evidence that appointments substitute for hard commitment devices is that the demand for the two is positively correlated ($\rho = 0.21$). Of the 308 men in the appointments arms who wanted a hard commitment device, 76 percent signed up for an appointment; for the 328 men who did not want a hard commitment device, just 56 percent signed up for an appointment. The combined treatment arm also allows us to examine how offers of the hard commitment device affected uptake of appointments. If hard

²¹ [Table 4](#) focuses on the long specification. Results for the equivalent short specification are shown in [Appendix Table C5](#).

commitments substitute perfectly for appointments then we would expect men who receive hard commitments to have lower demand for appointments. We see no such pattern: out of the men who wanted a hard commitment device, 78 percent of those who received one signed up for an appointment, as compared with 73 percent of those who did not ($p = 0.31$). This is consistent with the fact that hard commitments do not act as perfect substitutes for appointments. Note that since participants made decisions about the hard commitment devices prior to finding out about the appointments, being offered an appointment could not affect uptake of the hard commitment.

3.1 Cost Effectiveness

Appointments are highly cost effective. At a cost of \$0.43 per person they increase testing by 16 percentage points (Table 5). The cost per additional person tested is \$2.69, as compared with \$3.01 for the hard commitment devices. Our preferred cost-effectiveness calculations (Columns 1 and 4) show only the incremental cost of each intervention.²² These costs do not include any of the costs of testing itself, since testing is the outcome of interest rather than an input. We also assume that the increase in testing does not run up against any capacity constraints at the clinics. This is based on our qualitative work (see Appendix A), which indicates that there is substantial excess capacity in terms of HIV testing and treatment. In other contexts with tighter capacity constraints, this would be an additional cost we would need to consider. This also puts our results on even footing with other interventions that attempt to increase HIV testing, which would run up against similar constraints.

A simple basis for comparison for these results is directly paying people to get tested. Thornton (2008) did something quite similar to this, testing her entire sample and paying people to pick up their results at a clinic. Cash incentives increase the rate of picking up one’s results by 9.1 percent per dollar of incentive, so each additional person tested cost \$10.99.²³ Our increase is also measured off of a lower base rate of HIV testing (11 percent in

²² This means we exclude the cost of finding and contacting men for the study, since that was done in the control group as well. For details of the cost-effectiveness calculations, see Appendix B.

²³ Another point of comparison is Macis et al. (2021), who find that cash incentives greatly increase HIV testing—but have much smaller effects on actually learning one’s results. Our results are more comparable to Thornton’s because the test results were revealed immediately.

our study vs. 34 percent in Thornton’s study). In percentage terms, appointments increase testing by 141 percent; to achieve the same relative increase by paying people to learn their HIV status would cost \$5.27 per person, as compared with \$0.43 for appointments.

The other columns of Table 5 present alternative ways of computing the cost effectiveness of the two interventions. Columns 2 and 3 calculate the cost effectiveness of appointments with two key changes. Column 2 includes the cost of the testing voucher (even though this is not an incremental cost, as it was provided to the control group as well). Column 3 provides an upper bound on the cost of contacting people for their appointment reminders, by adding the cost of an additional appointment reminder call for each participant. This allows for one call attempt that the respondent does not pick up, and one successful one; our preferred estimates from Column 1 assume a single call per person. These changes do not substantially alter our results: adding the cost of the voucher raises the cost per additional person tested to \$3.81, and raising the number of call attempts to two changes the cost only slightly, to \$2.93. Even under these alternative assumptions, appointments remain more cost-effective than paying people to learn their HIV test results.

We also try two different variations in how we calculate the costs of the hard commitment devices. In Column 5, we add the cost of the MK1,000 of the survey gift that was used as the hard commitment. Our preferred estimates from Column 4 exclude this amount because this gift was provided to all participants. If this amount is included in the cost of the hard commitment devices then they cost \$19.61 per additional person tested. This larger number may better reflect the true cost of implementing a policy where participants are offered gifts to use as hard commitment devices (as opposed to using their money). Column 6 instead adds the cost of the testing voucher, which raises the cost per additional person tested to \$4.56. Column 7 adds both the commitment device cost and the voucher cost, raising the cost per person tested to \$21.16. It is worth noting that we include the commitment device cost for all participants (since that is the amount they need to buy the hard commitment), but the testing voucher costs only for those who get tested. Thus including the cost of the commitment device has a much larger effect on costs than including the cost of the vouchers. Again, these variations do not affect our qualitative conclusion that appointments are more cost-effective than hard commitments.

3.2 Exploratory Analyses

We explore variation in the treatment effects of the two interventions in two different ways. First, we present conventional heterogeneous treatment effect analyses in Appendix [Table C6](#). We see no evidence of statistically-significant heterogeneity in treatment effects by men’s perceived probability of having HIV, their self-reported tendency to postpone HIV testing, the extent to which they say they live for today, or their perceived benefits from taking ART.

Second, in Appendix [Table C7](#), we use the [Abadie, Chingos, and West \(2018\)](#) method to study how the treatment effects vary by propensity to get an HIV test.²⁴ Both appointments and hard commitment devices work better for men who are more likely to get tested for HIV in the absence of either intervention. In many settings, interventions are viewed as more impactful if they target demographics for whom outcomes are otherwise low. But HIV testing is a somewhat unusual outcome in this regard; those who are unlikely to test without the intervention may be at lower risk infection, and have little to gain from an HIV test. Data from Zomba suggests this is the case in our setting: HIV test-positivity rates are much higher than the local prevalence of the virus ([Derksen, Muula, and van Oosterhout 2022](#)), so people who are likely to get tested for HIV under the status quo are at higher risk of HIV infection. This implies that the intervention may be successfully targeting high-risk men.

Finally, we explore treatment effects on positive HIV tests and on ART initiation. Because both interventions have large effects on HIV testing, they may also increase the detection of actual HIV cases and guide HIV-positive men into treatment for the disease. Appointments lead to diagnoses at the same rate as control-group tests (6 percent of tests are positive), and at a higher rate than the hard commitment device alone (2 percent positive). This suggests that appointments are not disproportionately selecting for low risk men, and that the hard commitment device may be.²⁵ We examine treatment effects on positive HIV tests and ART initiation in Appendix [Table C8](#). The hard commitment devices had

²⁴ The `estrat` command returns individual standard errors for each tercile, but not for the differences between them. We thus compute the standard errors of the differences as $\sqrt{Var(X) + Var(Y) - 2Cov(X, Y)}$. We treat the covariance term as zero, as it is also not reported by the command, and thus our p -values are likely to be conservative.

²⁵ At scale, a diagnosis rate of 6 percent would be policy relevant. HIV prevalence among urban Malawian men is 11 percent ([DHS 2016](#)); if we assume that approximately half are already diagnosed, then our appointments treatment is selecting on men with average risk. Yet, we are not powered for this type of inference and therefore cannot draw strong conclusions.

no significant effect on either outcome, but the appointments increase both the rate of HIV detection and the rate of ART initiation by 1 percentage point—more than doubling the control-group rates. Using the short specification, these effects are statistically significant at the 0.1 level and the effect on positive tests is essentially robust to FDR correction (the q -value is 0.104 for ART initiation). However, we are underpowered to study these very rare outcomes, and these results are not significant in the long specification, which has lower statistical power (Muralidharan, Romero, and Wüthrich 2019). We therefore interpret this as suggestive—but not conclusive—evidence that appointments not only increase HIV testing rates, but also help to locate HIV-positive men and bring them into the treatment pipeline.

3.3 Robustness checks

Our primary robustness check is presented in each of the tables in the paper: all our results are basically unchanged by our choice of controls, or by using no controls at all. Columns 1 and 3 of Table 2 through Table 4 show results that are nearly identical to our preferred specification in Column 2, with occasional minor changes in the coefficients and q -values. Our main results from Table 2 are also qualitatively similar when we use the “short” specification that omits the interaction term (Appendix Table C4), but smaller in magnitude because omitting the interaction term biases the coefficients downward (Muralidharan, Romero, and Wüthrich 2019).

We also show our findings are qualitatively robust to switching all our analyses to the exact approach we pre-specified in our analysis plan. Appendix D shows all the results of the original specifications from our analysis plan, which are primarily focused on the short regression that omits the interaction between the two treatments. All our findings are qualitatively identical, and our inferences are substantively unchanged.

Our inferences are robust to the use of randomization inference instead of p -values based on Eicker-Huber-White standard errors. Appendix Table C9 shows randomization inference p -values for our main results from Columns 1 to 3 of Table 2. Some of the p -values are somewhat larger, and others are slightly smaller, but we continue to reject a zero treatment effect for each intervention separately, and the equality of the two interventions, at the 0.05 level.

We also show that our results are robust to different ways of defining our outcome variable. One alternative definition is to use any voucher redemption, without conditioning on an HIV test. A meaningful proportion of participants visited a clinic to redeem their voucher without getting an HIV test: about 5 percent of the control group, 6 percent of men in the appointments-only arm, 9 percent of men in the hard commitment-only arm, and 9 percent of men in the combined arm. Columns 1 to 3 of [Table C10](#) show treatment effects on any voucher redemption. The estimated effect of the appointments treatment is nearly unchanged, while the effect of the hard commitment treatment is somewhat larger; we can no longer reject the equality of the two effects in this table. Columns 4 to 6 show that appointments had no effect on voucher redemption alone, with no HIV test, while hard commitment devices increased it by four percentage points.

It appears that some men, after requesting the hard commitment device, come to the clinic to redeem the voucher but do not get an HIV test. This suggests another margin of partial sophistication by the men who enrolled in the hard commitment device. While this subset of men (who comprise 11 percent of all the people who enrolled in a hard commitment device) did not lose their investments, they wasted their time and effort in coming to the clinic but not actually following through with a test, likely due to fear of learning their HIV status.²⁶

A different consideration in defining the outcome variable is the handling of impostors—men who come to the clinic in order to collect the voucher payment, but do not appear to be the original participant who was recruited into the study. There are only ten of these individuals in our sample; our main analysis codes them as zeroes for the outcome variable. In [Appendix Table C11](#) we code them as ones instead. This leaves the coefficient estimates nearly unchanged, and does not affect any of our inferences based on the q -values.

²⁶ It is possible that some of these men did not want an HIV test, but did want to collect the MK500 from their voucher for appearing at the clinic, and used the hard commitment to encourage themselves to do so. Another possible non-testing motivation for using the hard commitment device is as a savings instrument. While the interest rate on these savings is zero, [Brune, Chyn, and Kerwin \(2021\)](#) find high demand for a zero-interest deferred-payment savings product elsewhere in Malawi.

4 Potential Mechanisms

Why are appointments effective at increasing HIV testing? Appointments can be viewed as a bundle of several behavioral interventions that help overcome self-control problems. Many of these interventions, or nudges, have previously been studied in isolation, including in the context of HIV testing.²⁷ By combining them, we obtain a large effect that likely depends on several overlapping mechanisms. This section discusses the potential mechanisms at play, and provides evidence that two particular mechanisms play an important role in their success. First, appointments appear to help address self-control problems. We discuss potential social and personal reasons for which participants honor the soft commitment. Second, appointments help overcome limited memory problems, making people less likely to forget to follow through with an HIV test. At the end of this section, we also discuss wait time as a potential mechanism, and explain why it is likely to be unimportant in our setting.

4.1 Appointments Address Self-Control Problems

Committing to a health appointment could help people overcome self-control problems. Visiting a clinic for an HIV test is immediately costly in terms of time, effort and anxiety, while the benefits of treatment accrue over the longer term. This combination of short term costs with long term benefits can lead to self-control problems (O’Donoghue and Rabin 1999). Indeed, in [Section 3](#), we saw that appointments are more effective for men with self-control problems, and that appointments strongly substitute for hard commitment devices, for this subset of men and overall. Moreover, responses from the baseline survey indicate that self-control problems may be an important barrier to HIV testing. When asked about reasons for avoiding an HIV test, men most commonly answer that testing is not needed, either due to low risk, a recent test, or a lack of symptoms (34 percent of participants). The next most common answer is that the participant says he is too busy, too lazy, or too forgetful to seek a test (33 percent), with 8 percent of participants mentioning laziness specifically.

Appointments represent a soft commitment to seek care—there is no financial penalty for

²⁷ See for example, [Tenthani et al. \(2014\)](#), [Nyondo et al. \(2015\)](#), [Rana et al. \(2015\)](#), [Mugo et al. \(2016\)](#), [Mayer and Fontelo \(2017\)](#), [Taylor et al. \(2019\)](#), [Salvadori et al. \(2020\)](#), [Friedman and Wilson \(2021\)](#), and [Macis et al. \(2021\)](#).

failing to follow through. Why do so many people honor the commitment? One possibility is that appointments impose social costs on the men who fail to show up. While health appointments are rare in some parts of the world, other types of appointments, i.e. plans to meet at a particular time and place, are common, and there are typically social costs of failing to appear. Missing a health appointment means wasting the time of the health provider who was expecting you. Health appointments typically involve personal interaction as they are often scheduled in-person or over the telephone. This might make the social commitment more powerful. Indeed, automated appointment nudges sent by text message appear to be less effective (Chang et al. 2021).

Social pressure works because individuals care about how they are perceived and are willing to modify their behavior to signal socially-desirable traits or to comply with social standards. The degree to which an individual's actions will be affected by social pressure can depend on how socially desirable an action is and on how much the individual cares about how they are perceived (Bursztyn and Jensen 2017). This has been found to be true for behaviors ranging from vaccination (e.g., Rao, Möbius, and Rosenblat 2007, Karing 2018, Brewer et al. 2017) and HIV testing (e.g., Godlonton and Thornton 2012) to productivity at work (Mas and Moretti 2009) and savings (e.g., Ashraf et al. 2003, Breza and Chandrasekhar 2019, Kast, Meier, and Pomeranz 2018, Kast, Meier, and Pomeranz 2012). The fact that social costs are more effective than financial costs is consistent with Gneezy and Rustichini (2000), who find that social pressure is more effective than incentives at inducing people to pick up their children from daycare on time. Socially-enforced commitments have been used as an explicit intervention by Karlan and Zinman (2012) to address indebtedness. They also play a role in the traditional design of microcredit products (de Aghion and Morduch 2005).

Alternatively, the appointment may be viewed as a social *invitation* or *encouragement* to visit the clinic. Clinics in Malawi are predominantly female spaces: they primarily target women through a combination of policy, practice and gender norms (Dovel et al. 2020b). Offering appointments might reassure men that they will be welcomed at the clinic and provided quality care. Nyondo et al. (2015) find that men are more likely to attend antenatal care visits with their partners if they receive a formal invitation, and appointments may play a similar role.

Finally, participants might honor the soft commitment for personal, rather than social reasons. Appointments may prompt men to make a mental plan to get an HIV test on the appointment date, and may make that specific date more salient, in a sense similar to [Bordalo, Gennaioli, and Shleifer \(2013\)](#). Prompting people to make a plan is effective at improving follow-through for many behaviors ([Rogers et al. 2015](#)), particularly when the plan includes specific details such as time and place. This type of mechanism might well play a role in our setting, although the magnitude of the effect we observe is substantially larger than that typically seen for interventions that simply encourage participants to make a plan. Indeed, simple planning prompts do not appear to impact HIV testing [Macis et al. \(2021\)](#).

Many participants do honor the soft commitment to attend the clinic on the day of their appointment. We observe a large spike in HIV testing on the exact appointment date ([Figure 7](#)). Over 50 percent of men in the two appointments arms who got an HIV test did so on the date of their appointment. On the other hand, almost half of the men with a scheduled appointment who got tested did so on *other* days, so the value of coming in on the day of the appointment is not sufficiently large to cause everyone to do so.²⁸ This suggests that other mechanisms also play a role.

4.2 Appointment Reminders and Limited Memory

Our data suggests that a second mechanism drives the success of appointments as well: appointment reminders help address problems of limited memory. People often forget to do things they want to do, and moreover they are overconfident about remembering their plans ([Ericson 2011](#)). Models of limited memory predict large effects of reminders, particularly for people who are present-biased ([Ericson 2017](#)).²⁹ An important literature shows that reminders are very effective at nudging people into health care (e.g., [Vervloet et al. 2012](#), [Gurol-Urganci et al. 2013](#), [Altmann and Traxler 2014](#), [Jacobson Vann et al. 2018](#), [Banerjee et al. 2021](#)). Reminders can also help people make better financial decisions ([Karlan et al.](#)

²⁸ The overall rate of missed appointments is thus 80.8%: 63.7% of men who had an appointment did not get tested at all, while 17.1% got tested on a different date.

²⁹ [Haushofer \(2015\)](#) shows that a model of limited memory can also generate several departures from standard neoclassical utility maximization, including status quo bias and loss aversion.

2016), raise charitable giving rates (Rogers and Milkman 2016), and increase the uptake of tutoring (Pugatch and Wilson 2018). More broadly, forgetting also leads to important failures to optimize in life insurance (Gottlieb and Smetters 2021) and retirement savings (Goodman, Mukherjee, and Ramnath 2021).

To examine this mechanism in our data, we plot histograms of the delay between recruitment and getting an HIV test (Figure 5). Relative to both the control group (Panel A) and the hard commitment arm (Panel B), men in the appointments arm got tested for HIV substantially later than those in the other two arms, and these differences are significant at the 0.01 level.³⁰ The hollow red bars in the histograms show that in the non-appointments arms, testing trails off to nearly zero within about 15 days of enrollment into the study. This pattern is consistent with a limited memory mechanism, and suggests that reminders do play a role.

One alternative explanation for the patterns in Figure 5 is simply that men signed up for appointments on later dates, and followed through with them. To rule out this possibility, Figure 6 breaks down the appointments vs. control comparison by whether the men in the appointments arm came in on the day of their appointment or on a different day.³¹ The solid gray bars are substantially shifted to the right relative to the hollow red bars in both panels, indicating that men in the appointments arm got tested later even when they did not come in on the day of their appointment. *t*-tests show that these differences are statistically significant at the 0.01 level, both for men who got tested on their appointment date, and men who did not.

The simplest explanation for the fact that men in the appointments arm test later in the study period is that the appointment reminders helped them overcome limited mem-

³⁰ We find no statistically significant difference between the appointment arm and the combined treatment arm.

³¹ Men were allowed to reschedule their appointments when they received the reminder phone call; in these cases, we use the date of the rescheduled appointment. In order to do this, we drop 62 men from the appointments arm for whom appointment rescheduling information is not available, 20 of whom took an HIV test. No men are dropped from the control group because appointment rescheduling does not apply to them. Overall testing rates are similar for men who kept their original appointment and those who rescheduled their appointments. For men who kept their original appointments, 19 percent got tested on the day of their appointment, 19 percent got tested on another day, and 62 percent did not get tested at all. For those who rescheduled, 22 percent came in on the new (rescheduled) appointment date, 18 percent came in on another date, and 61 percent did not get tested at all.

ory problems. The pattern in Panel B of Figure 6 implies that a number of men in the appointments arm forgot about their plan to get tested for HIV, and then were reminded about it by the phone call about their appointment. They then followed through, but *not* on their appointment date—driven to get an HIV test by the reminder, and not the social cost of a missed appointment.³² Beyond the literature on forgetting *per se*, this pattern is also consistent with models of limited attention (Gabaix 2019).

However, appointment reminders, on their own, do not appear to fully explain our results. First, the baseline survey and HIV testing voucher already serve as a fairly significant initial reminder to get tested for HIV. But appointments more than double the HIV testing rate relative to the control group, who also received this initial “reminder”. It is possible that a simple phone call reminder has a much larger marginal effect on testing than the in-person recruitment, but this seems unlikely. Indeed, Salvadori et al. (2020), find that reminders explain only one third of the increase in HIV testing caused by an appointment. Moreover, we observe a large spike in testing on the exact appointment date (Figure 7). Conditional on testing after the reminder, 71 percent of men in the appointments-only arm visit the clinic exactly two days later, on the appointment date. This spike in testing is inconsistent with a pure reminder effect. If the appointments increased testing only by reminding people to go to the clinic at some point, then we would expect a smoother increase in visits across a wide range of days. The spike in testing on the date of the appointment implies that that specific date is special, consistent with the social commitment and salience mechanisms.

4.3 Wait Time, Novelty and Displacement

Appointments may reduce the expected time cost of getting tested for HIV on the appointment date. This is one reason that appointments are common in developed-country healthcare systems: they solve coordination problems, leading to less wasted time. We can shed light on this possible mechanism using the supplementary interview data we collected

³² An alternative explanation of this pattern is that men who miss their appointments feel rising shame from their missed appointments (Butera et al. 2021), inducing them to continue to come in for tests. We cannot completely rule out this potential mechanism, but it would likely lead to increased testing over time in the appointments arm, which we do not observe. It also cannot explain why the men miss their appointments in the first place.

on typical wait times and absenteeism in 2019 for clinics in Malawi (see [Appendix A.3](#)). We find that at the time of the study, there was typically no wait for an HIV test at any of the clinics in Zomba, though at busy times the wait could be as long as 60 minutes. At urban clinics, passersby can often see whether there is a line of people waiting, and decide to wait or return later. Moreover, unlike evidence from other contexts (e.g. [Banerjee and Duflo 2006](#)), provider absence is rare: fewer than two percent of HDAs were absent on a typical day. These patterns are similar to those for Malawi as a whole. The fact that there is no shortage of HIV testing staff may be explained by the fact that this occupation requires fewer qualifications than other health occupations; HDAs only need a high school diploma and two months of training. Given these facts about the clinics under the *status quo*, it is highly unlikely that expected wait times and provider availability are major drivers of the effects of appointments. Indeed, in the baseline survey fewer than 0.1 percent of respondents named wait time as a reason they had avoided HIV testing. This does not rule out the possibility that reductions in perceived wait time play some role. Indeed, in a setting where wait times are long, appointments may be even more effective, and the logistical challenges might be quite different ([Hakimov et al. 2021](#)).

Finally, because healthcare appointments are rare in Malawi, novelty may play a role in their effectiveness. However, the concept of an appointment more broadly is not novel in this context. Appointments are commonly scheduled in Malawi for social and business purposes, and social costs for failing to appear are typically incurred. In fact, a hard commitment device for healthcare is arguably a more novel intervention than an appointment, yet appears to generate significantly lower follow-through.

While not a mechanism *per se*, another explanation for our results is that they are driven purely by displacement: men who would have gotten tested in the near future simply move their tests forward in time, and the intervention causes no meaningful increase in the HIV testing rate. This explanation seems unlikely for three reasons. First, the time pattern of testing in the control group shows almost no testing after the first couple of weeks. If testing were simply displaced slightly earlier in time in the appointments arm, we would expect testing to continue in the other arms, rather than stopping. Second, the time window for the study was intentionally vague, with no sharp cutoff. Most men who wanted to get tested

more than two months after their recruitment into the study could still do so, and could still redeem their voucher, so we would pick up some fraction of any later HIV tests rather than missing them. Third, the annual rate of HIV testing is fairly low in Zomba. [Derksen, Muula, and van Oosterhout \(2022\)](#) find that on average just 5 percent of the population per year voluntarily seek out an HIV test; 26 percent of our appointments arm got an HIV test in less than three months.

5 Conclusion

We show that appointments can increase HIV testing more effectively than hard commitment devices, and that their effects are concentrated primarily among those who would like to seek care but are held back by self-control problems. Using a randomized controlled trial in Malawi, we find that offering men appointments for HIV testing more than doubles testing rates. There is also high demand for hard commitment devices, and these devices significantly increase HIV testing rates. However, appointments dominate hard commitment devices, in terms of demand, treatment effects, and cost effectiveness. Appointments also avoid an important downside of hard commitment devices, which is that they can be welfare-diminishing due to failed commitments ([John 2020](#); [Bai et al. 2020](#)). None of the men in our study lost money due to missed appointments because no money was at stake. It is possible that men who missed appointments suffered psychological costs such as shame, however. In our context, appointments act as superior substitutes for the hard commitment devices, and the treatment effects are strongest among those who express *ex ante* demand for commitment.

Appointments can be viewed as a coherent bundle of behavioral interventions. These interventions, many of which have been shown effective on their own, address different and overlapping biases simultaneously. Our results suggest that appointments help people overcome self-control and limited-memory problems. People are compelled to follow through on the soft commitment, perhaps due to social pressure, or for personal reasons. Appointments address limited memory problems by providing men with reminders to come to their appointments: testing quickly trails off to zero in the control group, but continues in the

appointments arm—even for men who do not actually come in on their appointment date. While these two mechanisms appear important, the large effects we observe suggest that the whole may be greater than the sum of the parts.

Health appointments are a natural and relatively inexpensive policy tool. While the introduction of a healthcare appointment system can be initially costly and complex, in the long run, appointments are more straightforward to implement than traditional hard commitment devices. Appointments are attractive to many health providers and policymakers because they allocate time and resources efficiently. Even in poor countries, mobile phone ownership is becoming increasingly common, so it is possible to schedule appointments and issue reminders. Using a hard commitment device for healthcare requires collecting money, or providing and withholding incentives at scale. Adding financial transactions to a healthcare system is likely to introduce managerial and logistical challenges, with no added benefit relative to simply using appointments.

How generalizable are these results likely to be? Appointments are not likely to increase demand for healthcare in all settings. Our findings suggest that appointments are most effective for people with known self-control problems as opposed to those who purposefully avoid care (Chang et al. 2021). Indeed, appointments appear to work best for those who want to voluntarily commit to a health behavior. Seeking an HIV test is an important yet fraught decision. The stakes are high, and access to treatment is lifesaving. The fact that offering a simple appointment can impact such an important decision is a promising sign that appointments may be effective more broadly, in healthcare settings and beyond. We might expect even larger impacts in settings where appointments also reduce wait times. On the other hand, healthcare appointments are novel in our setting, though other types of appointments are not. While novelty does not appear to fully explain the effects we observe, we may expect marginally smaller effects in contexts where health appointments are routine. Another factor that could affect the generalizability of our results is the provision of the testing voucher to all participants in the study. Our findings are specifically about the effect of the appointments *conditional* on a small cash payment to cover the time and transportation costs of going to the clinic. However, this aspect of our intervention could easily be scaled up: these vouchers are very cheap, and including their cost does not materially affect our

cost-effectiveness results. The potential generalizability of results is therefore promising.

Studying the role of appointments in other developing-country contexts and demographic groups is an important direction for future research. The use of appointments in developed countries—and their near absence in the developing world—may help explain the severe underutilization of healthcare in developing countries. Developing countries that make the necessary investments to integrate appointments into their healthcare systems may see an increase in demand among those who face behavioral barriers to health behaviors.

References

- Abadie, Alberto, Matthew M Chingos, and Martin R West.** 2018. “Endogenous Stratification in Randomized Experiments.” *Review of Economics and Statistics*, 100(4): 567–580.
- Abadie, Alberto, Susan Athey, Guido W. Imbens, and Jeffrey M. Wooldridge.** 2020. “Sampling-Based versus Design-Based Uncertainty in Regression Analysis.” *Econometrica*, 88(1): 265–296.
- Abadie, Alberto, Susan Athey, Guido W Imbens, and Jeffrey Wooldridge.** 2017. “When Should You Adjust Standard Errors for Clustering?” NBER Working Paper 24003.
- Ahrens, Achim, Christian B. Hansen, and Mark E. Schaffer.** 2019. “PDSLASSO: Stata Module for Post-Selection and Post-Regularization OLS or IV Estimation and Inference.” Statistical Software Components, Boston College Department of Economics.
- Alan, Sule, and Seda Ertac.** 2015. “Patience, Self-Control and the Demand for Commitment: Evidence from a Large-Scale Field Experiment.” *Journal of Economic Behavior & Organization*, 115: 111–122.
- Altmann, Steffen, and Christian Traxler.** 2014. “Nudges at the Dentist.” *European Economic Review*, 72: 19–38.
- Amador, Manuel, Iván Werning, and George-Marios Angeletos.** 2006. “Commitment vs. Flexibility.” *Econometrica*, 74(2): 365–396.

- Anderson, Michael L.** 2008. “Multiple Inference and Gender Differences in the Effects of Early Intervention: A Reevaluation of the Abecedarian, Perry Preschool, and Early Training Projects.” *Journal of the American Statistical Association*, 103(484): 1481–1495.
- Angelucci, Manuela, and Daniel Bennett.** 2021. “Adverse Selection in the Marriage Market: HIV Testing and Marriage in Rural Malawi.” *The Review of Economic Studies*, 88(5): 2119–2148.
- Angotti, Nicole, Kim Yi Dionne, and Lauren Gaydosh.** 2011. “An Offer You Can’t Refuse? Provider-Initiated HIV Testing in Antenatal Clinics in Rural Malawi.” *Health Policy and Planning*, 26(4): 307–315.
- Ashraf, Nava, Dean Karlan, and Wesley Yin.** 2006*a*. “Deposit collectors.” *The BE Journal of Economic Analysis & Policy*, 6(2).
- Ashraf, Nava, Dean Karlan, and Wesley Yin.** 2006*b*. “Tying Odysseus to the Mast: Evidence from a Commitment Savings Product in the Philippines.” *Quarterly Journal of Economics*, 121(2): 635–672.
- Ashraf, Nava, Nathalie Gons, Dean S Karlan, and Wesley Yin.** 2003. “A Review of Commitment Savings Products in Developing Countries.” ERD Working Paper.
- Bai, Liang, Benjamin Handel, Edward Miguel, and Gautam Rao.** 2020. “Self-Control and Demand for Preventive Health: Evidence from Hypertension in India.” *The Review of Economics and Statistics*, forthcoming.
- Banerjee, Abhijit, and Esther Duflo.** 2006. “Addressing Absence.” *Journal of Economic Perspectives*, 20(1): 117–132.
- Banerjee, Abhijit, Arun G. Chandrasekhar, Suresh Dalpath, Esther Duflo, John Floretta, Matthew O. Jackson, Harini Kannan, Francine N. Loza, Anirudh Sankar, Anna Schrimpf, and Maheshwor Shrestha.** 2021. “Selecting the Most Effective Nudge: Evidence from a Large-Scale Experiment on Immunization.” NBER Working Paper 28726.
- Benjamini, Yoav, Abba M Krieger, and Daniel Yekutieli.** 2006. “Adaptive Linear Step-up Procedures That Control the False Discovery Rate.” *Biometrika*, 93(3): 491–507.
- Beshears, John, James J. Choi, Christopher Harris, David Laibson, Brigitte C. Madrian, and Jung Sakong.** 2020. “Which Early Withdrawal Penalty Attracts the Most

- Deposits to a Commitment Savings Account?” *Journal of Public Economics*, 183: 104144.
- Bhattacharya, Jay, Alan M Garber, and Jeremy D Goldhaber-Fiebert.** 2015. “Nudges in Exercise Commitment Contracts: A Randomized Trial.” NBER Working Paper 21406.
- Bordalo, Pedro, Nicola Gennaioli, and Andrei Shleifer.** 2013. “Salience and Consumer Choice.” *Journal of Political Economy*, 121(5): 803–843.
- Brewer, Noel T., Gretchen B. Chapman, Alexander J. Rothman, Julie Leask, and Allison Kempe.** 2017. “Increasing Vaccination: Putting Psychological Science Into Action.” *Psychological Science in the Public Interest: A Journal of the American Psychological Society*, 18(3): 149–207.
- Breza, Emily, and Arun G. Chandrasekhar.** 2019. “Social Networks, Reputation, and Commitment: Evidence From a Savings Monitors Experiment.” *Econometrica*, 87(1): 175–216.
- Brune, Lasse, Eric Chyn, and Jason Kerwin.** 2021. “Pay Me Later: Savings Constraints and the Demand for Deferred Payments.” *American Economic Review*, forthcoming.
- Bryan, Gharad, Dean Karlan, and Scott Nelson.** 2010. “Commitment Devices.” *Annual Review of Economics*, 2(1): 671–698.
- Buehren, Niklas, Markus Goldstein, Leora Klapper, Tricia Koroknay-Palicz, and Simone Schaner.** 2020. “The Limits of Commitment: Who Benefits from Illiquid Savings Products?” Working Paper.
- Burbidge, John B., Lonnie Magee, and A. Leslie Robb.** 1988. “Alternative Transformations to Handle Extreme Values of the Dependent Variable.” *Journal of the American Statistical Association*, 83(401): 123–127.
- Burke, Jeremy, Jill Luoto, and Francisco Perez-Arce.** 2018. “Soft versus hard commitments: a test on savings behaviors.” *Journal of Consumer Affairs*, 52(3): 733–745.
- Bursztny, Leonardo, and Robert Jensen.** 2017. “Social Image and Economic Behavior in the Field: Identifying, Understanding, and Shaping Social Pressure.” *Annual Review of Economics*, 9(1): 131–153.
- Butera, Luigi, Robert Metcalfe, William Morrison, and Dmitry Taubinsky.** 2021. “Measuring the Welfare Effects of Shame and Pride.” NBER Working Paper 25637.

- Chang, Tom, Mireille Jacobson, Manisha Shah, Rajiv Pramanik, and Samir B. Shah.** 2021. “Financial Incentives and Other Nudges Do Not Increase COVID-19 Vaccinations among the Vaccine Hesitant.” National Bureau of Economic Research Working Paper 29403.
- Chapman, Gretchen B, Meng Li, Howard Leventhal, and Elaine A Leventhal.** 2016. “Default Clinic Appointments Promote Influenza Vaccination Uptake without a Displacement Effect.” *Behavioral Science & Policy*, 2(2): 40–50.
- Chernozhukov, Victor, Denis Chetverikov, Mert Demirer, Esther Duflo, Christian Hansen, and Whitney Newey.** 2017. “Double/Debiased/Neyman Machine Learning of Treatment Effects.” *American Economic Review*, 107(5): 261–265.
- Cohen, Myron S., Ying Q. Chen, Marybeth McCauley, Theresa Gamble, Mina C. Hosseinipour, Nagalingeswaran Kumarasamy, James G. Hakim, Johnstone Kumwenda, Beatriz Grinsztejn, Jose H.S. Pilotto, Sheela V. Godbole, Sanjay Mehendale, Suwat Chariyalertsak, Breno R. Santos, Kenneth H. Mayer, Irving F. Hoffman, Susan H. Eshleman, Estelle Piwowar-Manning, Lei Wang, Joseph Makhema, Lisa A. Mills, Guy de Bruyn, Ian Sanne, Joseph Eron, Joel Gallant, Diane Havlir, Susan Swindells, Heather Ribaud, Vanessa Elharrar, David Burns, Taha E. Taha, Karin Nielsen-Saines, David Celentano, Max Essex, and Thomas R. Fleming.** 2011. “Prevention of HIV-1 Infection with Early Antiretroviral Therapy.” *New England Journal of Medicine*, 365(6): 493–505.
- de Aghion, Beatriz Armendariz, and Jonathan Morduch.** 2005. *The Economics of Microfinance*. Cambridge, MA:MIT Press.
- DellaVigna, Stefano, and Ulrike Malmendier.** 2006. “Paying Not to Go to the Gym.” *American Economic Review*, 96(3): 694–719.
- Derksen, Laura, Adamson Muula, and Joep van Oosterhout.** 2022. “Love in the Time of HIV: How Beliefs About Externalities Impact Health Behavior.” *Journal of Development Economics*, 159: 102993.
- Derksen, Laura C., Jason T. Kerwin, Natalia Ordaz Reynoso, and Olivier Sterck.** 2019. “Soft and Hard Commitment Devices to Increase HIV Testing.” AEA RCT Registry. November 22. <https://doi.org/10.1257/rct.4295-2.2>.

- DHS.** 2016. *Malawi Demographic and Health Survey 2015–2016*. National Statistical Office (NSO) and ICF Macro: Zomba, Malawi, and Rockville, MD.
- Dovel, Kathryn, Kelvin Balakasi, Sundeep Gupta, Misheck Mphande, Isabella Robson, Pericles Kalande, Eric Lungu, Alemeyehu Amberbir, Joep J. van Oosterhout, Shaukat Khan, Naoko Doi, and Brooke E. Nichols.** 2020*a*. “Missing Men or Missed Opportunity? Men’s Frequent Use of Health Services in Malawi.”
- Dovel, Kathryn, Sara Yeatman, Susan Watkins, and Michelle Poulin.** 2015. “Men’s Heightened Risk of AIDS-Related Death: The Legacy of Gendered HIV Testing and Treatment Strategies.” *AIDS*, 29(10): 1123–1125.
- Dovel, Kathryn, Shari L Dworkin, Morna Cornell, Thomas J. Coates, and Sara Yeatman.** 2020*b*. “Gendered Health Institutions: Examining the Organization of Health Services and Men’s Use of HIV Testing in Malawi.” *Journal of the International AIDS Society*, 23(Suppl 2).
- Dupas, Pascaline, and Jonathan Robinson.** 2013. “Why Don’t the Poor Save More? Evidence from Health Savings Experiments.” *American Economic Review*, 103(4): 1138–1171.
- Ericson, Keith Marzilli.** 2017. “On the Interaction of Memory and Procrastination: Implications for Reminders, Deadlines, and Empirical Estimation.” *Journal of the European Economic Association*, 15(3): 692–719.
- Ericson, Keith M. Marzilli.** 2011. “Forgetting We Forget: Overconfidence and Memory.” *Journal of the European Economic Association*, 9(1): 43–60.
- Ferwerda, Jeremy.** 2014. “ESTRAT: Stata module to perform Endogenous Stratification for Randomized Experiments.” Statistical Software Components, Boston College Department of Economics.
- Fitzpatrick, Anne, Sabrin Beg, Laura Derksen, Anne Karing, Jason Kerwin, Adrienne M. Lucas, Natalia Ordaz Reynoso, and Munir Squires.** 2021. “Health Knowledge and Non-Pharmaceutical Interventions During the Covid-19 Pandemic in Africa.” *Journal of Economic Behavior & Organization*, 190: 33–53.
- Friedman, Willa, and Nicholas Wilson.** 2021. “Can Nudging Overcome Procrastinating on Preventive Health Investments?” *Economics & Human Biology*, 101040.

- Gabaix, Xavier.** 2019. “Chapter 4 - Behavioral inattention.” In *Handbook of Behavioral Economics: Applications and Foundations 1*. Vol. 2 of *Handbook of Behavioral Economics - Foundations and Applications 2*, , ed. B. Douglas Bernheim, Stefano DellaVigna and David Laibson, 261–343. North-Holland.
- Giné, Xavier, Dean Karlan, and Jonathan Zinman.** 2010. “Put Your Money Where Your Butt Is: A Commitment Contract for Smoking Cessation.” *American Economic Journal: Applied Economics*, 2(4): 213–235.
- Glasziou, Paul, Sharon Straus, Shannon Brownlee, Lyndal Trevena, Leonila Dans, Gordon Guyatt, Adam G. Elshaug, Robert Janett, and Vikas Saini.** 2017. “Evidence for Underuse of Effective Medical Services Around the World.” *The Lancet*, 390(10090): 169–177.
- Gneezy, Uri, and Aldo Rustichini.** 2000. “A Fine Is a Price.” *The Journal of Legal Studies*, 29(1): 1–17.
- Godlonton, Susan, and Rebecca Thornton.** 2012. “Peer Effects in Learning HIV Results.” *Journal of Development Economics*, 97(1): 118–129.
- Goodman, Lucas, Anita Mukherjee, and Shanthi Ramnath.** 2021. “Abandoned Retirement Savings.” Working Paper.
- Gottlieb, Daniel, and Kent Smetters.** 2021. “Lapse-Based Insurance.” *American Economic Review*, forthcoming.
- Gul, Faruk, and Wolfgang Pesendorfer.** 2001. “Temptation and Self-Control.” *Econometrica*, 69(6): 1403–1435.
- Guroi-Urganci, Ipek, Thyra de Jongh, Vlasta Vodopivec-Jamsek, Rifat Atun, and Josip Car.** 2013. “Mobile Phone Messaging Reminders for Attendance at Healthcare Appointments.” *Cochrane Database of Systematic Reviews*, 2013(12).
- Hakimov, Rustamdjan, C.-Philipp Heller, Dorothea Kübler, and Morimitsu Kurino.** 2021. “How to Avoid Black Markets for Appointments with Online Booking Systems.” *American Economic Review*, 111(7): 2127–51.
- Halpern, Scott D., Benjamin French, Dylan S. Small, Kathryn Sulgiver, Michael O. Harhay, Janet Audrain-McGovern, George Loewenstein, Troyen A. Brennan, David A. Asch, and Kevin G. Volpp.** 2015. “Randomized Trial of Four

- Financial-Incentive Programs for Smoking Cessation.” *New England Journal of Medicine*, 372(22): 2108–2117.
- Halpern, Scott D., David A. Asch, and Kevin G. Volpp.** 2012. “Commitment Contracts as a Way to Health.” *BMJ*, 344: e522.
- Haushofer, Johannes.** 2015. “The Cost of Keeping Track.” Working Paper.
- Imbens, Guido W., and Donald B. Rubin.** 2015. *Causal Inference for Statistics, Social, and Biomedical Sciences*. Cambridge University Press.
- INSIGHT START Study Group, The.** 2015. “Initiation of Antiretroviral Therapy in Early Asymptomatic HIV Infection.” *New England Journal of Medicine*, 373(9): 795–807.
- Islam, MD, Susumu Wakai, Nobukatsu Ishikawa, AMR Chowdhury, J Patrick Vaughan, et al.** 2002. “Cost-effectiveness of community health workers in tuberculosis control in Bangladesh.” *Bulletin of the World Health Organization*, 80: 445–450.
- Jacobson Vann, Julie C., Robert M. Jacobson, Tamera Coyne-Beasley, Josephine K. Asafu-Adjei, and Peter G. Szilagyi.** 2018. “Patient Reminder and Recall Interventions to Improve Immunization Rates.” *Cochrane Database of Systematic Reviews*, 2018(1): CD003941.
- John, Anett.** 2020. “When Commitment Fails: Evidence from a Field Experiment.” *Management Science*, 66(2): 503–529.
- John, Anett, and Kate Orkin.** 2021. “Can Simple Psychological Interventions Increase Preventive Health Investment?” Working Paper.
- Karing, Anne.** 2018. “Social Signaling and Childhood Immunization: A Field Experiment in Sierra Leone.” Working Paper.
- Karlan, Dean, and Leigh Linden.** 2016. “Loose Knots: Strong versus Weak Commitments to Save for Education in Uganda.” Working Paper.
- Karlan, Dean, Margaret McConnell, Sendhil Mullainathan, and Jonathan Zinman.** 2016. “Getting to the Top of Mind: How Reminders Increase Saving.” *Management Science*, 62(12): 3393–3411.
- Karlan, Dean S., and Jonathan Zinman.** 2012. “Borrow Less Tomorrow: Behavioral Approaches to Debt Reduction.” SSRN Scholarly Paper ID 2060548, Rochester, NY.

- Kast, Felipe, Stephan Meier, and Dina Pomeranz.** 2012. “Under-Savers Anonymous: Evidence on Self-Help Groups and Peer Pressure as a Savings Commitment Device.” NBER Working Paper 18417.
- Kast, Felipe, Stephan Meier, and Dina Pomeranz.** 2018. “Saving More in Groups: Field Experimental Evidence from Chile.” *Journal of Development Economics*, 133(C): 275–294.
- Kaur, Supreet, Michael Kremer, and Sendhil Mullainathan.** 2015. “Self-Control at Work.” *Journal of Political Economy*, 123(6): 1227–1277.
- Kavanagh, Nolan M, Elisabeth M Schaffer, Alex Ndyabakira, Kara Marson, Diane V Havlir, Moses R Kanya, Dalsone Kwarisiima, Gabriel Chamie, and Harsha Thirumurthy.** 2020. “Planning Prompts to Promote Uptake of HIV Services Among Men: A Randomised Trial in Rural Uganda.” *BMJ Global Health*, 5(11): e003390.
- Kessler, Judd B., and C. Yiwei Zhang.** 2015. “Behavioural Economics and Health.” In *Oxford Textbook of Global Public Health*. Vol. 6. 6 ed., , ed. Roger Detels, Martin Gulliford, Quarraisha Abdool Karim and Chorh Chuan Tan. Oxford, UK:Oxford University Press.
- Kim, Jaejeung, Hayoung Jung, Minsam Ko, and Uichin Lee.** 2019. “GoalKeeper: Exploring Interaction Lockout Mechanisms for Regulating Smartphone Use.” *Proceedings of the ACM on Interactive, Mobile, Wearable and Ubiquitous Technologies*, 3(1): 16:1–16:29.
- Knaus, Michael C., Michael Lechner, and Anthony Strittmatter.** 2020. “Heterogeneous Employment Effects of Job Search Programmes: A Machine Learning Approach.” *Journal of Human Resources*, 0718–9615R1.
- Laibson, David.** 1997. “Golden Eggs and Hyperbolic Discounting.” *Quarterly Journal of Economics*, 112(2): 443–478.
- Laibson, David.** 2015. “Why Don’t Present-Biased Agents Make Commitments?” *American Economic Review Papers and Proceedings*, 105(5): 267–272.
- Macis, Mario, Michelle Grunauer, Erika Gutierrez, Ricardo Izurieta, Phillip Phan, Miguel Reina Ortiz, Carlos Rosas, and Enrique Teran.** 2021. “Using Incentives and Nudging to Improve Non-Targeted HIV Testing in Ecuador: A Randomized Trial.” *AIDS and Behavior*.

- Mas, Alexandre, and Enrico Moretti. 2009. “Peers at Work.” *American Economic Review*, 99(1): 112–145.
- Mayer, Jonathan E., and Paul Fontelo. 2017. “Meta-Analysis on the Effect of Text Message Reminders for HIV-Related Compliance.” *AIDS Care*, 29(4): 409–417.
- Milkman, Katherine L., John Beshears, James J. Choi, David Laibson, and Brigitte C. Madrian. 2011. “Using Implementation Intentions Prompts to Enhance Influenza Vaccination Rates.” *Proceedings of the National Academy of Sciences*, 108(26): 10415.
- Milkman, Katherine L, Julia A Minson, and Kevin G M Volpp. 2014. “Holding the Hunger Games Hostage at the Gym: An Evaluation of Temptation Bundling.” *Management Science*, 60(2): 283–299.
- Milkman, Katherine L., Mitesh S. Patel, Linnea Gandhi, Heather Graci, Dena Gromet, Hung Ho, Joseph Kay, Timothy Lee, Modupe Akinola, John Beshears, Jon Bogard, Alison Bутtenheim, Christopher Chabris, Gretchen B. Chapman, James J. Choi, Hengchen Dai, Craig R. Fox, Amir Goren, Matthew Hilchey, Jillian Hmurovic, Leslie John, Dean Karlan, Melanie Kim, David Laibson, Cait Lamberton, Brigitte C. Madrian, Michelle N. Meyer, Maria Modanu, Jimin Nam, Todd Rogers, Renante Rondina, Silvia Saccardo, Maheen Shermohammed, Dilip Soman, Jehan Sparks, Caleb Warren, Megan Weber, Ron Berman, Chalanda Evans, Christopher Snider, Eli Tsukayama, Christophe Van den Bulte, Kevin Volpp, and Angela Duckworth. 2021. “A Mega-Study of Text-Based Nudges Encouraging Patients to Get Vaccinated at an Upcoming Doctor’s Appointment.” SSRN Scholarly Paper ID 3780267, Rochester, NY.
- Montiel Olea, José Luis, and Carolin Pflueger. 2013. “A Robust Test for Weak Instruments.” *Journal of Business & Economic Statistics*, 31(3): 358–369.
- Mugo, Peter M., Elizabeth W. Wahome, Evanson N. Gichuru, Grace M. Mwashigadi, Alexander N. Thiong’o, Henrieke A. B. Prins, Tobias F. Rinke de Wit, Susan M. Graham, and Eduard J. Sanders. 2016. “Effect of Text Message, Phone Call, and In-Person Appointment Reminders on Uptake of Repeat HIV Testing

- among Outpatients Screened for Acute HIV Infection in Kenya: A Randomized Controlled Trial.” *PLOS ONE*, 11(4): e0153612.
- Muralidharan, Karthik, Mauricio Romero, and Kaspar Wüthrich.** 2019. “Factorial Designs, Model Selection, and (Incorrect) Inference in Randomized Experiments.” NBER Working Paper 26562.
- National Statistical Office/Malawi, and ICF.** 2017. “Malawi Demographic and Health Survey 2015-16.” National Statistical Office and ICF, Zomba, Malawi.
- Ngatia, Mũthoni.** 2016. “Social Interactions, Stigma, and HIV Testing.” Working Paper.
- Nyondo, Alinane Linda, Augustine Talumba Choko, Angela Faith Chimwaza, and Adamson Sinjani Muula.** 2015. “Invitation Cards during Pregnancy Enhance Male Partner Involvement in Prevention of Mother to Child Transmission (PMTCT) of Human Immunodeficiency Virus (HIV) in Blantyre, Malawi: A Randomized Controlled Open Label Trial.” *PLOS ONE*, 10(3): e0119273.
- O’Donoghue, Ted, and Matthew Rabin.** 1999. “Doing It Now or Later.” *American Economic Review*, 89(1): 103–124.
- Pugatch, Todd, and Nicholas Wilson.** 2018. “Nudging Study Habits: A Field Experiment on Peer Tutoring in Higher Education.” *Economics of Education Review*, 62: 151–161.
- Rana, Yashodhara, Jessica Haberer, Haijing Huang, Andrew Kambugu, Barbara Mukasa, Harsha Thirumurthy, Peter Wabukala, Glenn J. Wagner, and Sebastian Linnemayr.** 2015. “Short Message Service (SMS)-Based Intervention to Improve Treatment Adherence among HIV-Positive Youth in Uganda: Focus Group Findings.” *PLOS ONE*, 10(4): e0125187.
- Rao, Neel, Markus M. Möbius, and Tanya Rosenblat.** 2007. “Social Networks and Vaccination Decisions.” Federal Reserve Bank of Boston Working Paper 07-12.
- Ravallion, Martin.** 2017. “A Concave Log-Like Transformation Allowing Non-Positive Values.” *Economics Letters*, 161: 130–132.
- Rogers, Todd, and Katherine L. Milkman.** 2016. “Reminders Through Association.” *Psychological Science*, 27(7): 973–986.

- Rogers, Todd, Katherine L. Milkman, Leslie K. John, and Michael I. Norton.** 2015. “Beyond Good Intentions: Prompting People to Make Plans Improves Follow-Through on Important Tasks.” *Behavioral Science & Policy*, 1(2): 33–41.
- Royer, Heather, Mark Stehr, and Justin Sydnor.** 2015. “Incentives, Commitments, and Habit Formation in Exercise: Evidence from a Field Experiment with Workers at a Fortune-500 Company.” *American Economic Journal: Applied Economics*, 7(3): 51–84.
- Sadoff, Sally, and Anya Samek.** 2019. “Can Interventions Affect Commitment Demand? A Field Experiment on Food Choice.” *Journal of Economic Behavior & Organization*, 158: 90–109.
- Sadoff, Sally, Anya Samek, and Charles Sprenger.** 2020. “Dynamic Inconsistency in Food Choice: Experimental Evidence from Two Food Deserts.” *The Review of Economic Studies*, 87(4): 1954–1988.
- Salvadori, Nicolas, Pierrick Adam, Jean-Yves Mary, Luc Decker, Lucie Sabin, Sylvie Chevret, Surachet Arunothong, Woottichai Khamduang, Prapan Luangsook, Visitsak Suksa-ardphasu, et al.** 2020. “Appointment Reminders to Increase Uptake of Hiv Retesting by at-Risk Individuals: A Randomized Controlled Study in Thailand.” *Journal of the International AIDS Society*, 23(4): e25478.
- Saretsky, Gary.** 1972. “The OEO P.C. Experiment and the John Henry Effect.” *The Phi Delta Kappan*, 53(9): 579–581.
- Schilbach, Frank.** 2019. “Alcohol and Self-Control: A Field Experiment in India.” *American Economic Review*, 109(4): 1290–1322.
- Schwartz, Janet, Daniel Mochon, Lauren Wyper, Josiase Maroba, Deepak Patel, and Dan Ariely.** 2014. “Healthier by Precommitment.” *Psychological Science*, 25(2): 538–546.
- Steenland, Maria, Janeth Dula, Amanda de Albuquerque, Quinhas Fernandes, Rosa Marlene Cuco, Sergio Chicumbe, Eduardo Samo Gudo, Sandra Sequeira, and Margaret McConnell.** 2019. “Effects of Appointment Scheduling on Waiting Time and Utilisation of Antenatal Care in Mozambique.” *BMJ Global Health*, 4(6): e001788.
- Taylor, Darlene, Carole Lunny, Petra Lolić, Orion Warje, Jasmina Geldman, Tom Wong, Mark Gilbert, Richard Lester, and Gina Ogilvie.** 2019. “Effectiveness

of Text Messaging Interventions on Prevention, Detection, Treatment, and Knowledge Outcomes for Sexually Transmitted Infections (STIs)/HIV: A Systematic Review and Meta-Analysis.” *Systematic Reviews*, 8(1): 12.

Tenthani, Lyson, Andreas D. Haas, Hannock Tweya, Andreas Jahn, Joep J. van Oosterhout, Frank Chimbandira, Zengani Chirwa, Wingston Ng’ambi, Alan Bakali, Sam Phiri, Landon Myer, Fabio Valeri, Marcel Zwahlen, Gilles Wandeler, and Olivia Keiser. 2014. “Retention in Care under Universal Antiretroviral Therapy for HIV Infected Pregnant and Breastfeeding Women (“Option B+”) in Malawi.” *AIDS*, 28(4): 589–598.

Thornton, Rebecca L. 2008. “The Demand for, and Impact of, Learning HIV Status.” *American Economic Review*, 98(5): 1829–1863.

Toussaert, Severine. 2019. “Revealing Temptation Through Menu Choice: Field Evidence.” Working Paper.

UNAIDS. 2020. “UNAIDS Data 2020.” *Programme on HIV/AIDS*.

Vervloet, Marcia, Annemiek J Linn, Julia C M van Weert, Dinny H de Bakker, Marcel L Bouvy, and Liset van Dijk. 2012. “The Effectiveness of Interventions Using Electronic Reminders to Improve Adherence to Chronic Medication: A Systematic Review of the Literature.” *Journal of the American Medical Informatics Association*, 19(5): 696–704.

Figure 1
 Experimental Design
 (HC = Commitment Device)




Figure 2
 Participant Compensation with and without Commitment Device






Figure 3
HIV Testing Rates by Study Arm




Notes: Bars represent predicted values for each study arm based on Column 2 of [Table 2](#), which uses [Equation 1](#) with our pre-specified control variables and the full set of fixed effects. Whiskers show 95 percent confidence intervals for the differences between the control group and each treatment arm. Confidence intervals for the differences between treatment arms are of similar width, and thus we can reject $A = HC$ at the 5 percent level (and likewise for $HC + A = HC$), but cannot reject the equality of A and $HC + A$.

Figure 4
 Variation in Treatment Effects by Demand for,
 and Random Assignment to, the Hard Commitment Device




Notes: Predicted values of the outcome variable based on Column 2 of Table 4. $HC = 1$ for participants who were randomly assigned to one of the hard commitment arms and $HC = 0$ otherwise. $A = 1$ for participants who were randomly assigned to one of the appointment arms and $A = 0$ otherwise. Arrows show the magnitudes of the treatment effects. Whiskers show 95 percent confidence intervals for the differences between the control group and each treatment arm within each panel. Confidence intervals for the differences between treatment arms are of similar width, and thus (for example) we can reject the equality of $A + HC$ at the 5 percent level for those who demanded the hard commitment (left panel, second and fourth bars).

Figure 5
Histograms of Delays before HIV Test




Panel A: Appointments vs. Control Group




Panel B: Appointments vs. Hard Commitment Devices

Notes: Histogram of HIV test timing relative to the date the subject was recruited, i.e. the baseline survey date. Sample includes only men who got an HIV test, from the control group ($N = 34$) the pure appointments arm ($N = 87$), and the pure hard commitment arm ($N = 57$). t -tests for the equality of the average delay before an HIV test: Panel A, $p < 0.001$, $q = 0.001$; Panel B, $p < 0.001$, $q = 0.001$.

Figure 6
Histograms of Delays before HIV Test by Whether Test was on Appointment Date




Panel A: Tested on Appointment Date



Panel B: Tested on a Another Date

Notes: Histogram of HIV test timing relative to the date the subject was recruited, i.e. the baseline survey date. Sample includes all control-group men who got an HIV test ($N = 34$), and men from the pure appointments arm who got an HIV test and for whom appointment rescheduling information is available ($N = 72$). t -tests for the equality of the average delay before an HIV test: Panel A, $p < 0.001$, $q = 0.001$; Panel B, $p < 0.001$, $q = 0.002$.

Figure 7
Timing of HIV Tests Relative to Appointment Date



Notes: Histogram of HIV test timing relative to appointment date (using the new date for men who rescheduled their appointments). Sample includes the 72 men of the appointments-only arm who scheduled an appointment, got an HIV test and for whom appointment rescheduling information is available.

Table 1
Take-up and Effects of Commitment Devices for Health Behaviors

Study	Outcome (1)	Treatment (2)	Take-up Rate (%) (3)	Rate of Forfeiting Money (%) (4)	Treatment Effect (% Increase) (5)
Sadoff et al. (2020)	Fruit and vegetable purchases	Commitment to previous food choices	78	0	6
Alan and Ertac (2015)	Chocolate bars allocated to day 2	Lockbox for chocolates (not randomized)	69	0	—
Toussaert (2019)	Weight loss	Hard commitment (not randomized)	65	56	—
Milkman et al. (2014)	Attended gym ≥ 1 x per week	Gym-only audiobook access Encouragement to limit audiobooks to gym	61 —	0 0	33 19
Schilbach (2019)	Sobriety	Hard commitment	48	47	36
Schwartz et al. (2014)	Healthy grocery purchases	Hard commitment	36	67	3
Bai et al. (2020)	Doctor Visits	Fixed hard commitment	14	62	17
		Personalized hard commitment	14	70	43
		Fixed hard commitment + discount	26	68	33
		Personalized hard commitment + discount	39	77	91
Bhattacharya et al. (2015)	Weeks of exercise completed	Nudge to 8-week hard commitment (control)	23	—	—
		Nudge to 12-week hard commitment	23	—	6
		Nudge to 20-week hard commitment	22	—	28
Sadoff and Samek (2019)	Proportion of healthy food choices	Menu with only healthy food choices (not randomized)	20	0	—
Halpern et al. (2015)	Smoking cessation	Individual hard commitment	13	84	57
		Competitive hard commitment	15	89	85
Gine et al. (2010)	Smoking cessation	Hard commitment	11	66	39
Royer et al. (2015)	Attended gym ≥ 1 x per week	Hard commitment + incentives	12	27	17
<i>Average</i>			<i>38</i>	<i>37</i>	<i>29</i>
<i>Average for hard commitments</i>			<i>26</i>	<i>65</i>	<i>38</i>
Derksen et al. (2021)	HIV Testing	Hard commitment	49	64	73
		Appointment	65	0	141

Notes: The table is sorted by the study-average value of Column 3 (the share of people offered the device who take it up). Column 4 presents the fraction of people who forfeit the money they put at stake, conditional on taking up the commitment device (if relevant). Column 5 shows the treatment effect of the commitment device on the outcome of interest, as a percent of the control-group mean. Fields marked with — are not reported by the study. [Sadoff, Samek, and Sprenger \(2020\)](#) results are for the Los Angeles site, because that is where the treatment was randomized; we show the treatment effect on fruit & vegetable purchases, which is the only one of the seven outcomes where increases were desirable. [Milkman, Minson, and Volpp \(2014\)](#) take-up rate is the share of the entire sample with positive WTP in a Becker–DeGroot–Marschak mechanism. [Bai et al. \(2020\)](#) arm-specific forfeiture results are from personal correspondence with the authors. [Sadoff and Samek \(2019\)](#) use randomized treatments to increase demand for commitment but do not look at effects on the outcome; we present the take-up rate from their control group. [Royer, Stehr, and Sydnor \(2015\)](#) treatment effect is the marginal effect of the hard commitment relative to the pure incentives arm.

Table 2
Effects of Appointments and Hard Commitment Devices on HIV Testing

	(1)	(2)	(3)
Appointment Treatment (A)	0.151*** (0.030) [0.001]	0.159*** (0.030) [0.001]	0.155*** (0.029) [0.001]
Hard Commitment Treatment (HC)	0.080*** (0.029) [0.014]	0.082*** (0.029) [0.012]	0.082*** (0.028) [0.010]
A × HC	-0.081* (0.046) [0.088]	-0.065 (0.044) [0.133]	-0.063 (0.044) [0.135]
Comparisons of Effects			
A – HC	0.071** (0.034) [0.048]	0.077** (0.032) [0.029]	0.073** (0.031) [0.033]
A + A × HC	0.071** (0.034) [0.053]	0.094*** (0.033) [0.011]	0.092*** (0.032) [0.011]
HC + A × HC	-0.001 (0.035) [0.490]	0.017 (0.034) [0.346]	0.019 (0.033) [0.316]
Controls	None	Pre-Specified	Double Lasso
Observations	1232	1232	1232
Adjusted R-squared	0.021	0.123	0.120
Control-group Mean	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 also control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Table 3
2SLS Estimates of the Treatment-on-the-Treated Effect of Appointments

Panel A: Second Stage	<i>Outcome: 1(Tested for HIV)</i>		
	(1)	(2)	(3)
Signed up for an Appointment	0.228*** (0.044) [0.001]	0.240*** (0.043) [0.001]	0.237*** (0.043) [0.001]
Controls	None	Pre-Specified	Double Lasso
Observations	1232	1232	1232
Adjusted R-squared	0.076	0.159	0.154
Control-group Mean	0.113	0.113	0.113
Panel B: First Stage	<i>Outcome: 1(Signed up for an Appointment)</i>		
Appointment Treatment (A)	0.666*** (0.026) [0.001]	0.660*** (0.026) [0.001]	0.657*** (0.025) [0.001]
Effective F -Statistic	652.9	667.5	1377.2
Controls	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232
Adjusted R-squared	0.477	0.545	0.549
Control-group Mean	0.000	0.000	0.000

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Panel B shows the effective F -statistic of [Montiel Olea and Pflueger \(2013\)](#). Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Table 4
Treatment Effect Heterogeneity by Demand for Hard Commitment

	<i>Outcome: 1(Tested for HIV)</i>		
	(1)	(2)	(3)
Demanded the Hard Commitment (D)			
D	0.141*** (0.027) [0.001]	0.147*** (0.027) [0.001]	0.146*** (0.027) [0.001]
D × Appointment Treatment (A)	0.196*** (0.046) [0.001]	0.196*** (0.045) [0.001]	0.189*** (0.044) [0.001]
D × Hard Commitment Treatment (HC)	0.125*** (0.045) [0.012]	0.108** (0.044) [0.024]	0.110** (0.043) [0.020]
D × A × HC	-0.088 (0.071) [0.179]	-0.075 (0.069) [0.215]	-0.071 (0.067) [0.221]
Did Not Demand the Hard Commitment (1-D)			
(1-D)	0.097*** (0.018) [0.001]	0.091*** (0.020) [0.001]	0.096*** (0.019) [0.001]
(1-D) × Appointment Treatment (A)	0.083*** (0.028) [0.008]	0.093*** (0.028) [0.003]	0.088*** (0.027) [0.004]
Comparisons of Effects			
D × A - (1-D) × A	0.113** (0.053) [0.048]	0.104** (0.053) [0.062]	0.101* (0.052) [0.063]
D × (A + HC + A × HC) - D × HC	0.108** (0.054) [0.061]	0.121** (0.052) [0.033]	0.118** (0.051) [0.033]
D × (A + HC + A × HC) - D × A	0.037 (0.055) [0.312]	0.033 (0.053) [0.312]	0.039 (0.052) [0.299]
Controls	None	Pre-Specified Double Lasso	
Study Arms Included	All	All	All
Observations	1232	1232	1232
Adjusted <i>R</i> -squared	0.251	0.308	0.303
Control-group Mean	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. These regressions do not include a constant; (HC) × (1-D) is omitted and assumed to be zero. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 also control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. All controls are standardized prior to running the regressions. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Table 5
Cost Effectiveness

	Appointments			Hard Commitments			
	(1)	Including Testing Voucher (2)	Including Two Call attempts (3)	Excluding Cost of HC (4)	Including Cost of HC (5)	Excluding Cost of HC, Including Testing Voucher (6)	Including Cost of HC & Testing Voucher (7)
Cost per Participant							
MK	314.07	445.57	342.82	181.46	1,181.46	274.46	1,274.46
USD	\$0.43	\$0.61	\$0.47	\$0.25	\$1.61	\$0.37	\$1.73
Effect Size (percentage points)	0.159	0.159	0.159	0.082	0.082	0.082	0.082
Cost per Additional Person	\$2.69	\$3.81	\$2.93	\$3.01	\$19.61	\$4.56	\$21.16
Effect Size (percent)	140.7%	140.7%	140.7%	72.6%	72.6%	72.6%	72.6%
Cost per 100% Increase	\$0.30	\$0.43	\$0.33	\$0.34	\$2.22	\$0.51	\$2.39

Notes: Sample is 1,232 men who completed a baseline survey. Costs in this table are the marginal cost of running each intervention relative to the control group, and thus do not include the costs of the HIV testing vouchers. We compute costs based on the additional time needed to recruit participants in each of the two pure treatment arms, priced at the wage we paid to the survey enumerators. For the appointments, we also include the time and airtime costs of the appointment reminders, and the rescheduling calls (for the respondents who needed to reschedule). Column 3 includes the MK1,000 that participants were allowed to stake on the hard commitment device, since the commitment devices cannot be offered without incurring this cost. The costs of the tests themselves are not included, as the goal is to encourage the uptake of HIV tests. The effect sizes come from the main results, in Column 2 of [Table 2](#).

Supplemental Online Appendix, Not Intended for Publication

Appendix A Qualitative Data

In this section we summarize qualitative data collected from staff at clinics in Zomba and across Malawi. We also include a selection of direct quotes that illustrate our key findings. The full, deidentified qualitative dataset will be made available upon request.

Appendix A.1 Appointments for HIV Testing

In general, appointments are not used for HIV testing. There are some exceptions, in some clinics, for people that are referred for HIV testing from the outpatient department (OPD) and patients that were treated for a sexually-transmitted infection (STI). Clinics also sometimes contact the sexual partners of people who have tested positive and invite them to get tested on a particular day. More generally, in the rare cases where “appointments” are scheduled for HIV testing, they simply involve inviting a person to come in for a test within a certain number of weeks, or sometimes on a particular day, without scheduling a specific time or using formal reminders.

“[When asked if they schedule appointments for HIV testing]: There were some who would do that but it was not common. These would be the people who are very busy like the business people they would call and tell us they want to come for testing on a particular day and time. We also have other clients who would tell us that they can only come to the clinic on Saturday because of the nature of their work they cannot come during the week.” – HDA at a large public clinic

“We have appointments for the AIT [Active Index Testing]³³ clients because we have already made arrangements that they will come to the clinic on a day that we have

³³ “Active Index Testing” refers to the practice of offering HIV tests to all sexual contacts identified by a person recently diagnosed with HIV.

booked them. [...] We also have the STI clients because we give them an appointment to come after four weeks.” – HDA at a large public clinic

“We don’t specify the time when the client should come we just tell them come on Wednesday or Thursday [...] [On the appointment day] we first see the person who booked an appointment, but we inform the people on the queue that this client had an appointment and we have to see him first because we already started the process in the past and we would want to complete the process.” – HDA at a large public clinic

Appendix A.2 Appointments for Other Services

Appointments are also rare in clinics more generally. They are not typically used for OPD services. Patients receiving treatment for HIV are told to come back around a certain date or whenever they need a prescription refill. Clinics do report using informal appointments for various services as needed, but most patients are walk-in, and wait times are short. At large hospitals, highly specialized services, such as surgery and oncology visits, are scheduled for a particular date. But, even in this case patients are not given a particular time, nor formal reminders.

“It is the nurses and the clinicians in the wards who assess the clients and for those that need medical attention are taken to OPD so there is no need for appointment. For the ART we know and we keep their medication and we give them at the time they are supposed to take the medication; this time we are giving them in the morning. And when the drugs are coming to an end we go and refill at the ART clinic so we don’t have to make any appointments.” – Staff at a small public clinic

“[When asked if they use appointments]: If we have the surgical clinic and other clinics; for the surgical clinic they are done on Mondays. [...] We write these clients in the appointment books; we have hard covers which we enter the names of the clients. [...] For this specific clinic we do not give them specific time because we have a room where the clinic is conducted and it is done on first come and first served and the clinician can also make consideration if there are clients who are very sick and needed to be

seen first. The clinic runs from 7:30 am and ends at 4:30 pm and people are advised to come within this time.” – Staff at a large public hospital

“[When making appointments]: We give them the specific date but we don’t give them the specific time. [...] To be honest we do not give them that chance [to choose the appointment date] [...] we just do the booking from our perspectives not considering the client’s choice.” – Staff at a large public clinic

“For cough, flu and malaria do not require appointments and we have the chronic conditions these require appointments; like those which needs further investigations and treatment they require appointments. [Of those who visit the clinic] 10 percent of the clients [have] appointments.” – Staff at a small public clinic

Appendix A.3 HIV Testing Wait Times and Absenteeism

In July 2019, during the study period, every clinic in our sample consistently had excess capacity for HIV testing. In small clinics, there were multiple HDAs on duty, yet on the average day fewer than ten clients came for HIV testing. Larger clinics saw as many as 12 patients per HDA. HIV testing takes as little as 5 minutes (if the result is negative) or as long as 45 minutes (with counselling). So, it appears that even large clinics were operating below capacity. HDAs report that there was typically no wait for HIV testing, but at busy times, at large clinics, wait times could be as long as one hour. Clinics are well-staffed, and absenteeism among HDAs is extremely rare.

“It was 4 on average. [...] 3 HDAs work in the clinic.” – HDA at a small public clinic

“We would have 36 clients on a daily basis. We open every day except for the weekend. [...] We were two HDAs now we have a new one.” – HDA at a large public clinic

“The patients would wait between 15 to 20 minutes because the patient flow was very fast.” – HDA at a large public clinic

“The client will wait for his turn between 40 to 60 minutes. But if there is no client in the counselling room it means he will enter immediately.” – HDA at a large public

hospital

“I don’t think there was anyone who was absent. People [HDAs] work up to the knocking off time.” – Senior Staff at a large public clinic

Appendix B Cost Calculations

This section details how we calculated the costs of each intervention. We compute only the incremental cost of each pure treatment arm: the *additional* labor costs and other expenses needed to carry out the intervention, beyond the costs that apply to all study arms including the control group. Our cost calculations thus exclude the cost of finding and contacting men for the survey, since that was done in the control group as well. The labor costs are primarily calculated based on differences in the total survey time. To compute these, we only use survey times for respondents who were assigned either into the control group or into one of the two pure intervention arms (that is, we omit the combined intervention arm).

Appendix B.1 Appointments Arm

The cost of offering an appointment has two main components: (i) the cost of explaining and scheduling an appointment during the baseline survey, and (ii) the cost of reminding the participant of his appointment and rescheduling if necessary.

Part (i) is the product of enumerator wages and the average time it takes to explain and schedule an appointment, taking into account the fact that some participants who are offered an appointment do not schedule one. This time difference has two elements: (a) the time explaining appointments and eliciting demand, and (b) the time spent adding the chosen time slot into the calendar for those who want an appointment. We can measure (a) by calculating the time the SurveyCTO application was active for each participant and taking the difference between the average time in the appointments-only group and the average time in the control group. Part (b) was done in a different application on the phone, so it is not included in the active on-screen time on the survey app. We estimate this time to be one minute per person, based on having our research team carry out the steps needed to schedule the appointment and timing themselves. We therefore add one minute to the times of those participants who actually scheduled an appointment. The total time that corresponds to part (i) equals 139.4 seconds. Enumerators were paid MK20,000 for 6 hour days, so MK3,333.33 per hour. The cost of part (i) is therefore MK129. The following equation shows the formula used to compute part (i) of the cost of the appointments:

$$\text{Part (i)}^A = (\text{Extra Survey Time} + \mathbb{1}[\text{Scheduled Appt.}] \times (60 \text{ seconds})) \times \frac{\text{Enumerator Hourly Wage}}{3,600 \text{ seconds per hour}}$$

Part (ii) has two components: wages paid to HDAs who make the calls and phone credit spent on successful calls. Times per call were not estimated during the experiment. We asked our research team to estimate these times by calling people and reading them the appointment reminder script and timing themselves. We found that it could take up to 40 seconds for a respondent to pick up, and we estimated the time it takes to read the reminder script to be 65 seconds. Wages must be paid for this entire time (105 seconds) but phone credit is only charged for active call time. Every person who schedules an appointment receives a reminder call. Out of those calls, 42 percent of men who initially scheduled an appointment rescheduled their appointment once, and thus received a second reminder for the rescheduled appointment. At that reminder, 16 percent of men who initially scheduled an appointment rescheduled for a second time, and thus received a third reminder. We account for rescheduling times differently than reminder times. Reminder calls took 65 seconds each, and some of those included rescheduling time, which is estimated to be an additional 40 seconds.

To price the time used on the calls we need to know the wage rate for the HDAs who made the calls, and the cost of phone credit. HDAs were paid MK20,000 for 8 hour days. There are different telecommunication companies in Malawi, and they charge different rates per minute of calls. In our study we used the two main companies that operate in the area. One of them charges MK65 per minute and the other charges MK72. In these calculations we take a conservative approach by using the higher of the two rates to calculate phone credit costs. This brings the cost of part (ii) to be MK185 The following equation depicts the formula used to compute part (ii) of the cost of the appointments.

$$\begin{aligned}
\text{Part (ii)}^A = & \left(\frac{\text{Calls Made}}{\text{Appointments Offered}} \times \text{Reminder Script Time} \right. \\
& \left. + \frac{\text{Rescheduled Appointments}}{\text{Appointments Offered}} \times \text{Rescheduling Time} \right) \\
& \times \left(\frac{\text{Credit cost/minute}}{60 \text{ seconds/hour}} + \frac{\text{HDA Hourly Wage}}{3,600 \text{ seconds/hour}} \right) \\
& + \frac{\text{Calls made}}{\text{Appointments Offered}} \times \text{Waiting Time} \times \frac{\text{HDA Hourly Wage}}{3,600 \text{ seconds per hour}}
\end{aligned}$$

The total cost of adding a person to the appointment arm is the sum of parts (i) and (ii), which comes to MK314.07

Appendix B.2 Commitment Device Arm

The cost of offering a commitment device has two parts: (i) the extra survey time needed to explain and enroll men in the commitment device, and (ii) the cost of the voucher used for the commitment device. Since we elicited demand for the commitment device from all of our participants, average survey time differences between those assigned only a commitment device and those in the pure control group (16 seconds) do not measure part (i) completely. In order to estimate it, we asked our field team to read the survey script that explains the intervention and time themselves. We find that this part of the survey takes on average 180 seconds. Therefore we add 180 seconds to the average survey time differences between pure control and those only offered a commitment device. These time differences are then multiplied by the wages of enumerators, yielding a total cost for part (i) of MK181.46. The following equation shows the formula used to compute part (i) of the cost of the commitment devices.

$$\text{Part (i)}^{HC} = (\text{Extra Survey Time} + \text{HC Explanation Script Time}) \times \frac{\text{Enumerator Hourly Wage}}{3,600 \text{ seconds per hour}}$$

Computing the correct cost to include for part (ii) is less straightforward. If the commitment device is implemented with the participant's own money, the total cost of adding a

participant to the commitment device arm would be simply part (i). If the program were to use its own funds, then the amount to be committed needs to be budgeted for. It may be necessary to budget for the MK1,000 for all participants, bringing the total cost to MK1,181.46. But not all participants who accept a commitment device will follow through and collect the money. In our study, 49 percent of men in the commitment device-only study arm enrolled in a commitment device, but just 41 percent of those men redeemed their voucher. Considering the fact that the project kept the MK1,000 for the 29 percent of men who did not redeem their voucher, the net cost of offering the vouchers is just MK710.9 per person. Thus the cost of enrolling one man in the commitment device arm would come to MK892.36.

The above describes in detail how Columns 1, 4, and 5 are calculated. Column 2 shows the cost effectiveness of appointments as described plus the inclusion of the testing voucher (MK500) for those who tested (26.3%)³⁴ while Column 3 includes an additional unsuccessful reminder call attempt per person (an additional 40 seconds of HDA time). Finally, Columns 6 and 7 correspond to Columns 2 and 3 plus the inclusion of the testing voucher cost (MK500) for those who claim it (18.6%). Looking at the additional comparable columns, appointments are still more cost-effective than hard commitments.

³⁴ Again, like in the case of the commitment device, it may be necessary to budget for all participants, which would add the full MK500 to the cost per participant from Column 1, bringing it to 814.07 for appointments and 681.07 or 1681.07 for hard commitments

Appendix C Appendix Tables

Appendix Table C1
Pre-Specified Control Variables and Definitions

Variable	Definition
Age	Age in years
Literate	Equal to 1 if the participant can read a letter in Chichewa and 0 otherwise
Married	Equal to 1 if the participant is married and 0 otherwise
Willingness to Get an HIV Test Index	First principal component of two indicators: the first capturing willingness to get tested immediately, and the second capturing plans to get an HIV test in the future.
Any Previous HIV Test	Equal to 1 if the participant ever tested for HIV and 0 otherwise
Number of Previous HIV Tests	Number of times the participant tested since born
Tendency to Postpone HIV Testing	Indicator variable capturing any positive response to the open-ended question “Are you someone that has been postponing HIV testing?” (manually coded)
Perceived Life Expect. Gain from ARVs	Perceived difference between the life expectancy of an HIV+ individual with and without ART
Perceived Prob. of being HIV+	Respondent’s perceived likelihood of being HIV+
Demanded Hard Commitment	Equal to 1 if the participant opted into the Hard Commitment and 0 otherwise

Notes: Pre-specified list of control variables from our analysis plan. These controls were selected as statistically significant predictors of past HIV testing choices, based on the baseline data from the study.

Appendix Table C2
Other Control Variables and Definitions

Variable	Definition
Ethnicity	Categorical variable identifying the five largest ethnic groups in our sample (Nyanja, Lomwe, Yao, Chewa, Ngoni) plus “other”
Years of Education	Number of completed years of schooling. Ranges from 0 to 13; values of 14 or higher are top-coded at 13
Number of Children	Respondent’s total number of children.
Religion	Categorical variable identifying the respondent as being Muslim, Christian, or other.
Asset Index	First principal component of a set of 14 indicators for owning each of the following: landline, smart-phone, sofa, table, chair, lantern, television, radio, bednet, bicycle, motorcycle, Ox-cart, mattress, bed
Has a Girlfriend	Equal to 1 if the respondent has a girlfriend and 0 otherwise
Any Sex in Past Week	Equal to 1 if the respondent had sex in the past 7 days and 0 otherwise
Number of Sex Partners in Past 12 Mo.	Number of sexual partners in the last 12 months.
Lives for Today	Measures the extent to which the participant agrees with the statement “I live for today and do not think about tomorrow” on a scale from 1 (“completely disagree”) to 5 (“completely agree”)
Occupation	Categorical variable including the following occupations: military/police/security, skilled activity, transport sector, manual activity, none/student, other (e.g. trade, agriculture)
Ln(Expenditures) in Past Month	Sum of the seven categories of household expenditures (food, health, schooling, business, transport, entertainment, accomodation, other) in the past month, transformed via the IHST
Ln(Earnings) in Past 7 Days	Respondent’s total earnings in the past 7 days, transformed via the IHST
Zero Earnings in Past 7 Days	Equal to 1 if respondent has zero earnings in the past 7 days, 0 otherwise
HIV Knowledge Index	First principal component of five questions assessing the respondent's knowledge about HIV
Perceived Prob. of Serodiscordance	Answer to the question: “Think of 100 women who are HIV positive. How many of their husbands do you think are HIV negative?”

Notes: Other variables used in our balance table and in the double LASSO procedure. This list includes all other baseline variables that were not included in the pre-specified list in [Table C1](#)

Appendix Table C3
Balance

	Panel A: Appointments					Panel B: Hard Commitment				
	Ctrl. Mean (SD) (1)	Treat. Mean (SD) (2)	Diff. (<i>p</i> -val.) (3)	Norm. Diff. (4)	Omnibus Test (5)	Ctrl. Mean (SD) (6)	Treat. Mean (SD) (7)	Diff. (<i>p</i> -val.) (8)	Norm. Diff. (9)	Omnibus Test (10)
Age	32.250 (9.549)	31.638 (9.321)	-0.612 (0.538)	0.065	-0.004* (0.003)	32.100 (9.683)	31.761 (9.169)	-0.339 (0.537)	0.036	-0.000 (0.003)
Literate	0.978 (0.146)	0.976 (0.152)	-0.002 (0.008)	0.012	-0.045 (0.108)	0.984 (0.125)	0.970 (0.170)	-0.014 (0.009)	0.094	-0.124 (0.105)
Married	0.644 (0.479)	0.671 (0.470)	0.027 (0.027)	-0.057	0.063 (0.045)	0.646 (0.479)	0.671 (0.470)	0.025 (0.027)	-0.053	0.114** (0.046)
Willingness to Get an HIV Test Index	0.049 (1.047)	-0.046 (1.161)	-0.095 (0.063)	0.086	-0.013 (0.014)	-0.044 (1.136)	0.046 (1.077)	0.090 (0.063)	-0.081	0.018 (0.014)
Any Previous HIV Test	0.918 (0.275)	0.914 (0.281)	-0.004 (0.016)	0.015	-0.031 (0.056)	0.908 (0.289)	0.924 (0.266)	0.016 (0.016)	-0.056	0.035 (0.059)
Number of Previous HIV Tests	4.850 (5.439)	4.990 (5.606)	0.140 (0.315)	-0.025	0.003 (0.003)	4.975 (5.466)	4.867 (5.588)	-0.107 (0.315)	0.019	-0.001 (0.003)
Tendency to Postpone HIV	0.362 (0.481)	0.404 (0.491)	0.042 (0.028)	-0.086	0.063* (0.034)	0.394 (0.489)	0.374 (0.484)	-0.020 (0.028)	0.041	-0.028 (0.035)
Perceived Life Exp. Gain from ARVs	23.069 (17.002)	24.690 (17.250)	1.621* (0.976)	-0.095	0.001 (0.001)	24.010 (17.192)	23.797 (17.104)	-0.212 (0.977)	0.012	-0.000 (0.001)
Perceived Prob. of being HIV+	17.819 (22.868)	17.799 (23.880)	-0.020 (1.332)	0.001	0.000 (0.001)	17.190 (22.944)	18.455 (23.843)	1.265 (1.334)	-0.054	0.000 (0.001)
Demanded Hard Commitment	0.532 (0.499)	0.484 (0.500)	-0.048* (0.028)	0.095	-0.067** (0.032)	0.527 (0.500)	0.487 (0.500)	-0.040 (0.028)	0.081	-0.060* (0.033)
Ethnicity:										
Nyanja	0.077 (0.267)	0.080 (0.272)	0.003 (0.015)	-0.011	-0.017 (0.066)	0.070 (0.255)	0.088 (0.284)	0.018 (0.015)	-0.068	0.030 (0.066)
Lomwe	0.300 (0.459)	0.302 (0.459)	0.002 (0.026)	-0.003	-0.011 (0.047)	0.302 (0.459)	0.301 (0.459)	-0.001 (0.026)	0.002	-0.022 (0.048)
Yao	0.211 (0.409)	0.214 (0.410)	0.002 (0.023)	-0.006	-0.024 (0.055)	0.221 (0.415)	0.204 (0.404)	-0.016 (0.023)	0.040	-0.037 (0.056)
Chewa	0.138 (0.345)	0.129 (0.335)	-0.009 (0.019)	0.025	-0.049 (0.057)	0.144 (0.352)	0.121 (0.327)	-0.023 (0.019)	0.068	-0.105* (0.058)
Ngoni	0.138 (0.345)	0.115 (0.319)	-0.023 (0.019)	0.069	-0.046 (0.057)	0.125 (0.331)	0.126 (0.332)	0.001 (0.019)	-0.003	-0.039 (0.057)
Years of Education	10.554 (2.784)	10.616 (2.638)	0.063 (0.155)	-0.023	0.006 (0.007)	10.635 (2.684)	10.535 (2.736)	-0.100 (0.155)	0.037	-0.006 (0.007)
Number of Children	1.911 (1.942)	1.918 (2.012)	0.007 (0.113)	-0.004	0.010 (0.012)	1.933 (2.068)	1.895 (1.879)	-0.038 (0.113)	0.019	-0.004 (0.011)

Appendix Table C3
Balance (continued)

Religion:										
Muslim	0.161	0.165	0.004	-0.011	0.010	0.175	0.151	-0.023	0.063	-0.056
	(0.368)	(0.372)	(0.021)		(0.049)	(0.380)	(0.359)	(0.021)		(0.048)
Other	0.013	0.008	-0.006	0.054	-0.146	0.011	0.010	-0.001	0.011	-0.062
	(0.115)	(0.088)	(0.006)		(0.142)	(0.105)	(0.099)	(0.006)		(0.160)
Asset Index	0.008	-0.007	-0.015	0.008	-0.005	-0.008	0.009	0.017	-0.009	0.002
	(1.846)	(1.915)	(0.107)		(0.010)	(1.888)	(1.876)	(0.107)		(0.010)
Has a Girlfriend	0.430	0.425	-0.005	0.010	0.002	0.411	0.444	0.032	-0.065	0.072**
	(0.495)	(0.495)	(0.028)		(0.035)	(0.492)	(0.497)	(0.028)		(0.035)
Any Sex in Past Week	0.547	0.582	0.035	-0.070	0.030	0.568	0.561	-0.007	0.014	-0.044
	(0.498)	(0.494)	(0.028)		(0.035)	(0.496)	(0.497)	(0.028)		(0.035)
Sex Partners in Past 12 Months	2.264	2.348	0.084	-0.025	0.003	2.279	2.337	0.058	-0.018	-0.000
	(3.065)	(3.506)	(0.187)		(0.005)	(3.478)	(3.103)	(0.188)		(0.005)
Lives for Today	2.710	2.895	0.185**	-0.113	0.026**	2.722	2.892	0.170*	-0.104	0.027**
	(1.633)	(1.634)	(0.093)		(0.012)	(1.633)	(1.636)	(0.093)		(0.012)
Occupation:										
Military/Police/ Security	0.106	0.101	-0.005	0.017	0.060	0.090	0.116	0.026	-0.085	0.077
	(0.308)	(0.301)	(0.017)		(0.059)	(0.287)	(0.321)	(0.017)		(0.059)
Skilled Activity	0.128	0.143	0.016	-0.045	0.077	0.141	0.130	-0.012	0.034	-0.036
	(0.334)	(0.350)	(0.019)		(0.050)	(0.349)	(0.336)	(0.020)		(0.051)
Transportation	0.107	0.116	0.009	-0.028	0.027	0.114	0.110	-0.005	0.015	-0.042
	(0.310)	(0.321)	(0.018)		(0.053)	(0.318)	(0.313)	(0.018)		(0.052)
Manual Labor	0.128	0.138	0.011	-0.032	0.047	0.149	0.116	-0.033*	0.097	-0.074
	(0.334)	(0.346)	(0.019)		(0.049)	(0.357)	(0.321)	(0.019)		(0.047)
None/Student	0.104	0.113	0.009	-0.029	0.045	0.098	0.120	0.021	-0.068	0.046
	(0.306)	(0.317)	(0.018)		(0.057)	(0.298)	(0.325)	(0.018)		(0.058)
Ln(Expenditures) in Past Month	11.860	11.829	-0.032	0.021	-0.002	11.887	11.799	-0.088	0.059	-0.018
	(1.528)	(1.437)	(0.085)		(0.013)	(1.429)	(1.534)	(0.085)		(0.013)
Ln(Earnings) in Past 7 Days	9.412	9.570	0.159	-0.048	-0.015	9.514	9.472	-0.043	0.013	-0.005
	(3.475)	(3.161)	(0.190)		(0.013)	(3.340)	(3.293)	(0.189)		(0.013)
Zero Earnings in Past 7 Days	0.104	0.080	-0.024	0.083	-0.235	0.092	0.091	-0.001	0.002	-0.047
	(0.306)	(0.272)	(0.017)		(0.148)	(0.289)	(0.288)	(0.016)		(0.146)
HIV Knowledge Index	-0.032	0.030	0.062	-0.053	0.010	-0.002	0.002	0.003	-0.003	-0.001
	(1.197)	(1.115)	(0.066)		(0.013)	(1.131)	(1.182)	(0.066)		(0.013)
Perceived Prob. of Serodiscordance	41.322	42.695	1.373	-0.044	0.000	41.502	42.585	1.083	-0.035	0.000
	(31.132)	(31.630)	(1.789)		(0.001)	(31.895)	(30.858)	(1.788)		(0.001)
Omnibus Test: F-Statistic					1.16					1.08
(<i>p</i> -value)					(0.16)					(0.31)

Notes: Sample is 1,232 men who completed a baseline survey. Panel A compares all men assigned to either appointments or appointments + commitment devices (treatment) to everyone else (control); Panel B compares all men assigned to either commitment devices or appointments + commitment devices (treatment) to everyone else (control). Columns 3 and 8 present treatment-control differences, with *p*-values from *t*-tests in parentheses: * *p* < 0.1; ** *p* < 0.05; *** *p* < 0.01. Columns 4 and 9 show differences in standard deviations. Columns 5 and 10 present OLS regressions of the treatment indicators on all the baseline covariates in the table; the bottom row of the table shows *F*-statistics (and associated *p*-values) for the joint significance of all the variables in the regression.

Appendix Table C4

Effects of Appointments and Commitment Devices on HIV Testing—Short Specification

	<i>Outcome: 1(Tested for HIV)</i>		
	(1)	(2)	(3)
Appointment Treatment (A)	0.112*** (0.023) [0.001]	0.127*** (0.022) [0.001]	0.124*** (0.022) [0.001]
Hard Commitment Treatment (HC)	0.039* (0.023) [0.103]	0.048** (0.022) [0.045]	0.050** (0.022) [0.033]
Comparisons of Effects			
A – HC	0.073**	0.079**	0.074**
SE for <i>t</i> -test	(0.034)	(0.032)	(0.032)
<i>q</i> -value <i>t</i> -test	[0.043]	[0.027]	[0.032]
Controls	None	Pre-Specified	Double Lasso
Observations	1232	1232	1232
Adjusted R-squared	[0.043]	[0.027]	[0.032]
Control-group Mean	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 also control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened *q*-values in brackets.

Appendix Table C5
Treatment Effect Heterogeneity by Demand for Commitment—Short Specification

	<i>Outcome: 1(Tested for HIV)</i>		
	(1)	(2)	(3)
Demanded the Hard Commitment (D)			
D	0.162*** (0.026) [0.001]	0.165*** (0.026) [0.001]	0.163*** (0.026) [0.001]
D × Appointment Treatment (A)	0.155*** (0.035) [0.001]	0.161*** (0.034) [0.001]	0.156*** (0.033) [0.001]
D × Hard Commitment Treatment (HC)	0.082** (0.035) [0.033]	0.072** (0.034) [0.051]	0.075** (0.034) [0.039]
Did Not Demand the Hard Commitment (1–D)			
(1–D)	0.097*** (0.018) [0.001]	0.091*** (0.020) [0.001]	0.097*** (0.019) [0.001]
(1–D) × Appointment Treatment (A)	0.083*** (0.028) [0.008]	0.092*** (0.028) [0.003]	0.088*** (0.027) [0.004]
Comparisons of Effects			
D × A – (1–D) × A	0.072 (0.045) [0.112]	0.069 (0.044) [0.115]	0.068 (0.043) [0.114]
SE for <i>t</i> -test			
<i>q</i> -value <i>t</i> -test			
Controls	None	Pre-Specified Double Lasso	
Study Arms Included	All	All	All
Observations	1232	1232	1232
Adjusted <i>R</i> -squared	0.251	0.308	0.303
Control-group Mean	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. These regressions do not include a constant; (HC) × (1–D) is omitted and assumed to be zero. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 also control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. All controls are standardized prior to running the regressions. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened *q*-values in brackets.

Appendix Table C6
Treatment Effect Heterogeneity by Baseline Covariates

	<i>Outcome: 1(Tested for HIV)</i>				
	(1)	(2)	(3)	(4)	(5)
Appointment Treatment (A)	0.159*** (0.030) [0.001]	0.160*** (0.030) [0.001]	0.160*** (0.030) [0.001]	0.158*** (0.030) [0.001]	0.155*** (0.030) [0.001]
Hard Commitment Treatment (HC)	0.081*** (0.029) [0.013]	0.082*** (0.029) [0.012]	0.085*** (0.029) [0.010]	0.082*** (0.029) [0.012]	0.074*** (0.029) [0.018]
A × (Perceived Prob. of being HIV+)	-0.007 (0.031) [0.443]				-0.010 (0.030) [0.403]
C × (Perceived Prob. of being HIV+)	0.020 (0.030) [0.312]				0.028 (0.030) [0.251]
A × (Tendency to Postpone HIV Testing)		-0.008 (0.029) [0.433]			0.000 (0.030) [0.496]
C × (Tendency to Postpone HIV Testing)		0.004 (0.029) [0.457]			-0.007 (0.030) [0.443]
A × (Lives for Today)			0.005 (0.030) [0.457]		0.002 (0.032) [0.487]
C × (Lives for Today)			-0.022 (0.029) [0.295]		-0.031 (0.031) [0.235]
A × (Perceived Life Expect. Gain from ARVs)				0.007 (0.031) [0.443]	0.013 (0.033) [0.385]
C × (Perceived Life Expect. Gain from ARVs)				0.007 (0.030) [0.443]	0.015 (0.031) [0.346]
Controls		Pre-Specified	Pre-Specified	Pre-Specified	Pre-Specified
Treatments Interacted with Other BL Covariates	No	No	No	No	Yes
Observations	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.122	0.122	0.123	0.123	0.127
Control-group Mean	0.113	0.113	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Other baseline covariates interacted with treatments in Column 5 include all the other variables from [Table C1](#). Main effects are included for all variables that are interacted with the treatment indicators. We also control for $A \times HC$ and its interactions with all the baseline variables in the table, but do not show these results. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Appendix Table C7

Treatment Effect Heterogeneity by Predicted Probability of Getting Tested

	<i>Outcome: 1(Tested for HIV)</i>			
	(1)	(2)	(3)	(4)
<hr/>				
Appointment Treatment ×				
Low Likelihood of Testing (L)	0.064 (0.042) [0.122]	0.096 (0.060) [0.112]		
Medium Likelihood of Testing (M)	0.146*** (0.036) [0.001]	0.107* (0.065) [0.104]		
High Likelihood of Testing (H)	0.236*** (0.051) [0.001]	0.168** (0.065) [0.020]		
Hard Commitment Treatment ×				
Low Likelihood of Testing			0.012 (0.039) [0.412]	0.020 (0.044) [0.354]
Medium Likelihood of Testing			0.099** (0.042) [0.030]	0.076 (0.068) [0.210]
High Likelihood of Testing			0.102** (0.051) [0.061]	0.193** (0.077) [0.023]
Comparisons of Effects				
H – L	0.172***	0.072	0.090	0.173*
SE for <i>t</i> -test	(0.066)	(0.089)	(0.065)	(0.089)
<i>q</i> -value <i>t</i> -test	[0.019]	[0.284]	[0.145]	[0.063]
H – M	0.091	0.060	0.003	0.118
SE for <i>t</i> -test	(0.063)	(0.092)	(0.066)	(0.103)
<i>q</i> -value <i>t</i> -test	[0.135]	[0.312]	[0.487]	[0.208]
M – L	0.082	0.011	0.087	0.056
SE for <i>t</i> -test	(0.056)	(0.088)	(0.057)	(0.081)
<i>q</i> -value <i>t</i> -test	[0.133]	[0.463]	[0.125]	[0.308]
Predictors	Pre-Specified	Double Lasso	Pre-Specified	Double Lasso
Controls	All FEs	All FEs	All FEs	All FEs
Study Arms Included	C, A	C, A	C, HC	C, HC
Control-group Mean	0.113	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey; Columns 1 and 2 use only data from the control (C) and appointments-only (A) arms, while Columns 3 and 4 use only data from the control and commitment devices-only (HC) arms. This table uses the repeat split-sample method of [Abadie, Chingos, and West \(2018\)](#) to predict the outcome variable in the control group, then estimates treatment effects separately by tercile of the predicted outcome. Pre-specified predictors include all the variables in [Table C1](#). Double Lasso predictors include the same variables chosen using the [Chernozhukov et al. \(2017\)](#) in [Table 2](#). All columns control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened *q*-values in brackets. *p*-values for the tests of equality between terciles ignore the covariance term and thus are likely to be conservative.

Appendix Table C8
Effects on Positive HIV Tests and ART Initiation

	<i>Outcome:</i>			
	<i>HIV-Positive</i>	<i>Initiated ART</i>	<i>HIV-Positive</i>	<i>Initiated ART</i>
	(1)	(2)	(3)	(4)
Appointment Treatment (A)	0.011*	0.009*	0.006	0.002
	(0.006)	(0.006)	(0.008)	(0.007)
	[0.074]	[0.104]	[0.304]	[0.401]
Hard Commitment Treatment (HC)	0.002	0.004	-0.003	-0.003
	(0.006)	(0.006)	(0.006)	(0.006)
	[0.390]	[0.312]	[0.323]	[0.323]
A × HC			0.011	0.014
			(0.012)	(0.011)
			[0.251]	[0.183]
Comparisons of Effects				
A – HC	0.008	0.005	0.009	0.006
SE for <i>t</i> -test	(0.007)	(0.006)	(0.007)	(0.006)
<i>q</i> -value <i>t</i> -test	[0.190]	[0.275]	[0.174]	[0.251]
Controls	None	None	None	None
Observations	1,232	1,232	1,232	1,232
Adjusted R-squared	0.001	0.001	0.001	0.001
Control-group Mean	0.007	0.007	0.007	0.007

Notes: Sample is 1,232 men who completed a baseline survey. The regressions in this table include no controls or fixed effects because HIV status and ART initiation data was anonymized and linked only to participants' study arms. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; Anderson (2008) sharpened *q*-values in brackets.

Appendix Table C9
Randomization Inference

	<i>Outcome: 1(Tested for HIV)</i>		
	(1)	(2)	(3)
Appointment Treatment (A)	0.151***	0.159***	0.155***
EHW SE	(0.030)	(0.030)	(0.029)
EHW <i>p</i> -value	[0.000]	[0.000]	[0.000]
RI <i>p</i> -value	{0.020}	{0.020}	{0.020}
Hard Commitment Treatment (HC)	0.080***	0.082***	0.082***
EHW SE	(0.029)	(0.029)	(0.028)
EHW <i>p</i> -value	[0.006]	[0.005]	[0.004]
RI <i>p</i> -value	{0.000}	{0.000}	{0.000}
A × HC	-0.081*	-0.065	-0.063
EHW SE	(0.046)	(0.044)	(0.044)
EHW <i>p</i> -value	[0.077]	[0.143]	[0.150]
RI <i>p</i> -value	{0.081}	{0.144}	{0.144}
<i>p</i> -value A = HC			
EHW <i>p</i> -value	[0.034]	[0.017]	[0.021]
RI <i>p</i> -value	{0.033}	{0.012}	{0.012}
Controls	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232
Adjusted R-squared	0.021	0.123	0.120
Control-group Mean	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. This table presents the same results as Columns 4-6 of Table 2, but shows randomization inference (RI) *p*-values for comparison with the *p*-values that correspond to the Eicker–Huber–White (EHW) standard errors that we show in the rest of the tables in the paper. Pre-specified controls include all the variables in Table C1. Double Lasso controls uses the Chernozhukov et al. (2017) method for variable selection and inference, as described in Section 2.1. Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; Anderson (2008) sharpened *q*-values in brackets.

Appendix Table C10
Effects on Voucher Redemption

	<i>Outcome: 1(Redeemed Voucher)</i>			<i>Outcome: 1(Redeemed Voucher, No Test)</i>		
	(1)	(2)	(3)	(4)	(5)	(6)
Appointment Treatment (A)	0.148*** (0.033) [0.001]	0.168*** (0.033) [0.001]	0.160*** (0.032) [0.001]	0.011 (0.019) [0.323]	0.022 (0.019) [0.206]	0.015 (0.019) [0.281]
Hard Commitment Treatment (HC)	0.125*** (0.034) [0.001]	0.128*** (0.033) [0.001]	0.127*** (0.032) [0.001]	0.038* (0.021) [0.082]	0.040* (0.021) [0.074]	0.040* (0.021) [0.069]
A × HC	-0.094* (0.050) [0.074]	-0.086* (0.049) [0.088]	-0.081* (0.048) [0.102]	-0.011 (0.030) [0.396]	-0.017 (0.031) [0.326]	-0.016 (0.030) [0.338]
Comparisons of Effects						
A – HC	0.022 (0.037) [0.313]	0.040 (0.035) [0.209]	0.033 (0.035) [0.251]	-0.028 (0.022) [0.173]	-0.017 (0.022) [0.284]	-0.024 (0.021) [0.207]
SE for <i>t</i> -test						
<i>q</i> -value <i>t</i> -test						
Controls	None	Pre-Specified	Double Lasso	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.021	0.129	0.119	0.002	0.040	0.032
Control-group Mean	0.159	0.159	0.159	0.053	0.053	0.053

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2, 3, 5, and 6 also control both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened *q*-values in brackets.

Appendix Table C11
Robustness to Including Impostors

	<i>Outcome:</i>		
	<i>1(Tested for HIV, set to 1 for impostors)</i>		
	(1)	(2)	(3)
Appointment Treatment (A)	0.148*** (0.031) [0.001]	0.157*** (0.030) [0.001]	0.152*** (0.029) [0.001]
Hard Commitment Treatment (HC)	0.080*** (0.030) [0.015]	0.082*** (0.029) [0.012]	0.082*** (0.029) [0.011]
A × HC	-0.074 (0.046) [0.112]	-0.059 (0.045) [0.163]	-0.056 (0.044) [0.174]
Comparisons of Effects			
A – HC	0.068**	0.075**	0.070**
SE for <i>t</i> -test	(0.034)	(0.032)	(0.032)
<i>q</i> -value <i>t</i> -test	[0.057]	[0.033]	[0.039]
Controls	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232
Adjusted R-squared	0.021	0.127	0.121
Control-group Mean	0.116	0.116	0.116

Notes: Sample is 1,232 men who completed a baseline survey. This table presents the same results as [Table 2](#), but codes impostors as having a one for the outcome variable instead of a zero. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened *q*-values in brackets.

Appendix D Results Using Specification from Analysis Plan

This section presents the results of our analyses using the regression specification that we pre-specified in our analysis plan (Derksen et al. 2019, <https://www.socialscienceregistry.org/versions/57507/docs/version/document>). This differs from the version we present in the body of the paper in that it imposes the “short” model, which omits the interaction term. We present all the tables that include treatment effect estimates because the q -values are computed across all the tables, and thus even tables which show the exact same specification are affected by the change.

Appendix Table D1
Effects of Appointments and Commitment Devices on HIV Testing

	<i>Outcome: 1(Tested for HIV)</i>					
	(1)	(2)	(3)	(4)	(5)	(6)
Appointment Treatment (A)	0.112*** (0.023) [0.001]	0.127*** (0.022) [0.001]	0.124*** (0.022) [0.001]	0.151*** (0.030) [0.001]	0.159*** (0.030) [0.001]	0.155*** (0.029) [0.001]
Hard Commitment Treatment (HC)	0.039* (0.023) [0.066]	0.048** (0.022) [0.035]	0.050** (0.022) [0.027]	0.080*** (0.029) [0.012]	0.082*** (0.029) [0.010]	0.082*** (0.028) [0.009]
A × HC				-0.081* (0.046) [0.060]	-0.065 (0.044) [0.087]	-0.063 (0.044) [0.090]
p-value A = HC	0.029	0.015	0.019	0.034	0.017	0.021
q-value A = HC	[0.034]	[0.023]	[0.027]	[0.037]	[0.025]	[0.027]
p-value A + A × HC = 0				0.039	0.005	0.004
q-value A + A × HC = 0				[0.040]	[0.009]	[0.009]
p-value HC + A × HC = 0				0.986	0.620	0.554
q-value HC + A × HC = 0				[0.399]	[0.263]	[0.244]
Controls	None	Pre-Specified	Double Lasso	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.019	0.123	0.120	0.021	0.123	0.120
Control-group Mean	0.113	0.113	0.113	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Appendix Table D2

2SLS Estimates of the Treatment-on-the-Treated Effect of Appointments

Panel A: Second Stage	<i>Outcome: 1(Tested for HIV)</i>		
	(1)	(2)	(3)
Signed up for an Appointment	0.171***	0.191***	0.188***
	(0.034)	(0.032)	(0.032)
	[0.001]	[0.001]	[0.001]
Controls	None	Pre-Specified	Double Lasso
Observations	1232	1232	1232
Adjusted R-squared	0.068	0.156	0.152
Control-group Mean	0.113	0.113	0.113
Panel B: First Stage	<i>Outcome: 1(Signed up for an Appointment)</i>		
Appointment Treatment (A)	0.654***	0.663***	0.662***
	(0.019)	(0.018)	(0.018)
	[0.001]	[0.001]	[0.001]
Effective F -Statistic	1198.8	1344.9	1377.8
Controls	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232
Adjusted R-squared	0.477	0.545	0.550
Control-group Mean	0.000	0.000	0.000

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. In lieu of a conventional F -statistics, Panel B shows the effective F -statistic of [Montiel Olea and Pflueger \(2013\)](#). Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Appendix Table D3
Effects on Voucher Redemption

	<i>Outcome: 1(Redeemed Voucher)</i>			<i>Outcome: 1(Redeemed Voucher, No Test)</i>		
	(1)	(2)	(3)	(4)	(5)	(6)
Appointment Treatment (A)	0.102*** (0.025) [0.001]	0.126*** (0.024) [0.001]	0.121*** (0.024) [0.001]	0.005 (0.015) [0.297]	0.014 (0.015) [0.182]	0.008 (0.015) [0.258]
Hard Commitment Treatment (HC)	0.077*** (0.025) [0.006]	0.084*** (0.024) [0.002]	0.087*** (0.024) [0.001]	0.033** (0.015) [0.035]	0.031** (0.015) [0.041]	0.032** (0.015) [0.034]
p-value A = HC	0.499	0.239	0.325	0.202	0.429	0.256
q-value A = HC	[0.226]	[0.134]	[0.170]	[0.117]	[0.200]	[0.141]
Controls	None	Pre-Specified	Double Lasso	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.019	0.128	0.118	0.002	0.040	0.033
Control-group Mean	0.159	0.159	0.159	0.053	0.053	0.053

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Appendix Table D4
Robustness to Including Impostors

	<i>Outcome: 1(Tested for HIV, set to 1 for impostors)</i>					
	(1)	(2)	(3)	(4)	(5)	(6)
Appointment Treatment (A)	0.112*** (0.023) [0.001]	0.128*** (0.022) [0.001]	0.125*** (0.022) [0.001]	0.148*** (0.031) [0.001]	0.157*** (0.030) [0.001]	0.152*** (0.029) [0.001]
Hard Commitment Treatment (HC)	0.042* (0.023) [0.057]	0.052** (0.022) [0.027]	0.054** (0.022) [0.022]	0.080*** (0.030) [0.013]	0.082*** (0.029) [0.010]	0.082*** (0.029) [0.009]
A × HC				-0.074 (0.046) [0.071]	-0.059 (0.045) [0.110]	-0.056 (0.044) [0.118]
p-value A = HC	0.038	0.018	0.024	0.044	0.020	0.026
q-value A = HC	[0.040]	[0.027]	[0.030]	[0.044]	[0.027]	[0.032]
Controls	None	Pre-Specified	Double Lasso	None	Pre-Specified	Double Lasso
Observations	1,232	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.019	0.126	0.122	0.021	0.127	0.121
Control-group Mean	0.116	0.116	0.116	0.116	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. This table presents the same results as [Table 2](#), but codes impostors as having a one for the outcome variable instead of a zero. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Appendix Table D5
Effects on Positive HIV Tests and ART Initiation

	<i>Outcome:</i>	
	<i>HIV-Positive</i>	<i>Initiated ART</i>
	(1)	(2)
Appointment Treatment (A)	0.011* (0.006) [0.052]	0.009* (0.006) [0.068]
Hard Commitment Treatment (HC)	0.002 (0.006) [0.288]	0.004 (0.006) [0.226]
p-value A = HC	0.229	0.397
q-value A = HC	[0.128]	[0.194]
Controls	None	None
Observations	1,232	1,232
Adjusted R-squared	0.001	0.001
Control-group Mean	0.007	0.007

Notes: Sample is 1,232 men who completed a baseline survey. The regressions in this table include no controls or fixed effects because HIV status and ART initiation data was anonymized and linked only to participants' study arms. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; Anderson (2008) sharpened q -values in brackets.

Appendix Table D6
Treatment Effect Heterogeneity by Baseline Covariates

	<i>Outcome: 1(Tested for HIV)</i>				
	(1)	(2)	(3)	(4)	(5)
Appointment Treatment (A)	0.128*** (0.022) [0.001]	0.127*** (0.022) [0.001]	0.128*** (0.022) [0.001]	0.127*** (0.022) [0.001]	0.129*** (0.022) [0.001]
Hard Commitment Treatment (HC)	0.048** (0.022) [0.036]	0.048** (0.022) [0.035]	0.051** (0.022) [0.030]	0.048** (0.022) [0.035]	0.048** (0.022) [0.036]
A × (Perceived Prob. of being HIV+)	-0.013 (0.023) [0.247]				-0.015 (0.023) [0.234]
C × (Perceived Prob. of being HIV+)	0.014 (0.023) [0.238]				0.025 (0.023) [0.152]
A × (Tendency to Postpone HIV Testing)		0.009 (0.022) [0.277]			0.013 (0.022) [0.247]
C × (Tendency to Postpone HIV Testing)		0.021 (0.022) [0.175]			0.007 (0.023) [0.313]
A × (Lives for Today)			0.001 (0.022) [0.390]		0.012 (0.023) [0.260]
C × (Lives for Today)			-0.025 (0.022) [0.144]		-0.021 (0.023) [0.184]
A × (Perceived Life Expect. Gain from ARVs)				-0.015 (0.024) [0.234]	-0.014 (0.024) [0.247]
C × (Perceived Life Expect. Gain from ARVs)				-0.019 (0.023) [0.200]	-0.014 (0.024) [0.247]
Controls					
Treatments Interacted with Other BL Covariates	No	No	No	No	Yes
Observations	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.122	0.122	0.123	0.122	0.129
Control-group Mean	0.113	0.113	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Other baseline covariates interacted with treatments in Column 5 include all the other variables from [Table C1](#). Main effects are included for all variables that are interacted with the treatment indicators. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets.

Appendix Table D7
Treatment Effect Heterogeneity by Demand for Commitment

	<i>Outcome: 1(Tested for HIV)</i>					
	(1)	(2)	(3)	(4)	(5)	(6)
Demanded the Hard Commitment (D)	0.162*** (0.026) [0.001]	0.165*** (0.026) [0.001]	0.163*** (0.026) [0.001]	0.141*** (0.027) [0.001]	0.147*** (0.027) [0.001]	0.146*** (0.027) [0.001]
Did not Demand the Hard Commitment (N)	0.097*** (0.018) [0.001]	0.091*** (0.020) [0.001]	0.097*** (0.019) [0.003]	0.097*** (0.018) [0.001]	0.091*** (0.020) [0.001]	0.096*** (0.019) [0.001]
Appointment Treatment (A) × D	0.155*** (0.035) [0.001]	0.161*** (0.034) [0.001]	0.156*** (0.033) [0.001]			
Appointment Treatment (A) × N	0.083*** (0.028) [0.006]	0.092*** (0.028) [0.003]	0.088*** (0.027) [0.032]	0.083*** (0.028) [0.006]	0.093*** (0.028) [0.003]	0.088*** (0.027) [0.003]
Hard Commitment Treatment (HC) × D	0.082** (0.035) [0.027]	0.072** (0.034) [0.039]	0.075** (0.034) [0.001]	0.125*** (0.045) [0.011]	0.108** (0.044) [0.021]	0.110** (0.043) [0.018]
A × D × HC				0.108** (0.054) [0.045]	0.121** (0.052) [0.027]	0.118** (0.051) [0.027]
A × D × No Hard Commitment Treatment (NHC)				0.196*** (0.046) [0.001]	0.196*** (0.045) [0.001]	0.189*** (0.044) [0.001]
<i>p</i> -value A × D = A × N	0.11	0.116	0.113			
<i>q</i> -value A × D = A × N	[0.071]	[0.074]	[0.073]			
<i>p</i> -value A × D × NHC = A × N				.034	.049	.05
<i>q</i> -value A × D × NHC = A × N				[0.037]	[0.045]	[0.045]
<i>p</i> -value A × D × NHC = A × D × HC + HC × D				.503	.533	.457
<i>q</i> -value A × D × NHC = A × D × HC + HC × D				[0.226]	[0.237]	[0.206]
Controls	None	Pre-Specified Double Lasso		None	Pre-Specified Double Lasso	
Observations	1,232	1,232	1,232	1,232	1,232	1,232
Adjusted R-squared	0.251	0.307	0.303	0.251	0.308	0.303
Control-group Mean	0.113	0.113	0.113	0.113	0.113	0.113

Notes: Sample is 1,232 men who completed a baseline survey. Pre-specified controls include all the variables in [Table C1](#). Double Lasso controls uses the [Chernozhukov et al. \(2017\)](#) method for variable selection and inference, as described in [Section 2.1](#). Columns 2 and 3 both control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened *q*-values in brackets.

Appendix Table D8

Treatment Effect Heterogeneity by Predicted Probability of Getting Tested

	<i>Outcome: 1(Tested for HIV)</i>			
	(1)	(2)	(3)	(4)
<hr/>				
Appointment Treatment ×				
Low Likelihood of Testing (L)	0.081***	0.071***		
	(0.029)	(0.027)		
	[0.011]	[0.015]		
Medium Likelihood of Testing (M)	0.121***	0.143**		
	(0.032)	(0.061)		
	[0.001]	[0.027]		
High Likelihood of Testing (H)	0.147***	0.118**		
	(0.044)	(0.050)		
	[0.003]	[0.027]		
Hard Commitment Treatment ×				
Low Likelihood of Testing			0.015	-0.029
			(0.032)	(0.027)
			[0.266]	[0.150]
Medium Likelihood of Testing			0.072**	0.085*
			(0.030)	(0.049)
			[0.025]	[0.060]
High Likelihood of Testing			0.032	0.092*
			(0.040)	(0.048)
			[0.200]	[0.048]
<i>p</i> -value H = L	0.214	0.415	0.745	0.028
<i>q</i> -value H = L	[0.122]	[0.199]	[0.306]	[0.034]
<i>p</i> -value H = M	0.640	0.749	0.419	0.910
<i>q</i> -value H = M	[0.266]	[0.306]	[0.200]	[0.378]
<i>p</i> -value M = L	0.358	0.279	0.193	0.041
<i>q</i> -value M = L	[0.181]	[0.150]	[0.112]	[0.042]
Predictors	Pre-Specified Double Lasso		Pre-Specified Double Lasso	
Controls	All FEs	All FEs	All FEs	All FEs
Control-group Mean	0.153	0.153	0.192	0.192

Notes: Sample is 1,232 men who completed a baseline survey. This table uses the repeat split-sample method of [Abadie, Chingos, and West \(2018\)](#) to predict the outcome variable in the control group, then estimates treatment effects separately by tercile of the predicted outcome. Pre-specified predictors include all the variables in [Table C1](#). Double Lasso predictors include the same variables chosen using the [Chernozhukov et al. \(2017\)](#) in [Table 2](#). All columns control for date-of-survey fixed effects, enumerator fixed effects, and preferred clinic fixed effects. Heteroskedasticity-robust standard errors in parentheses: * $p < 0.1$; ** $p < 0.05$; *** $p < 0.01$; [Anderson \(2008\)](#) sharpened q -values in brackets. p -values for the tests of equality between terciles ignore the covariance term and thus are likely to be conservative.

Appendix E Commitment Device Explanation Script

In this section we reproduce the script that enumerators used to explain the commitment device to participants. Enumerators first explain the commitment device drawing a parallel to the concept of a *chikole*. After that, enumerators elicit demand for the commitment device. Then, randomization into the commitment device arm is revealed.

Script: Before sending the clinic voucher, there is one more thing I would like to discuss with you, it's about self control and HIV testing. Have you ever asked an employer to hold your pay until the end of the job because you don't trust yourself not to spend it? Have you ever taken a loan where you had to give collateral ("chikole") which you would get back when you repay the loan? Are you familiar with this idea of "chikole"? Sometimes you really want to do something, but you don't have the will power or self control. For example, a person might want to go for HIV testing, but he keeps postponing because he is afraid, or he is busy, or maybe he is just lazy. Are you someone that has been postponing HIV testing? It can help to make a commitment, for example, by using a collateral "chikole" to ensure that you go for testing. I want to offer you a way to give some collateral "chikole" for HIV testing. In addition to the study gift, we will add another 1000 Kwacha of airtime. For some people, we will give the choice of moving this airtime from the gift to the HIV testing voucher. This means, you would only receive that airtime if you visit an HIV testing facility. It would be a "chikole" for HIV testing. Are you interested in this "chikole"? If you say yes, we will have a lottery, and 50/50 chance you receive the 1000K gift or the 1000K goes to the "chikole". If you say no, you will just get the 1000K gift now. Are you sure about your answer?

A: If participant wants the commitment device: The program is going to randomly choose whether you get the "chikole" or not.

Randomization revealed

A1: If randomized into Commitment Device arm: The program selected you for chikole. You will receive 1,000 kwacha worth of airtime now. If you go to the HIV testing clinic, you will get a total of 1,500 kwacha: the normal voucher of 500 plus an additional 1,000 kwacha "chikole".

A2: If not randomized into commitment device arm: The program did not select you for chikole. You will receive 2,000 kwacha worth of airtime now. You will still receive the 500 kwacha airtime voucher if you go to the HIV testing clinic.

B If participant does not want the commitment device:

Ok, since you did not want chikole, I will give you your gift and the extra 1,000 in airtime now I will send you your voucher for 500 kwacha via text message now. Remember you can redeem it at any one of the participating HIV testing clinics any time during clinic hours for the next two months.